

PRODUCT NAME: HEAVEN'S BEST CLEANING SOLUTION PRODUCT #101

SECTION I

HB Franchise.		Least=0
P.O. Box 607	HEALTH: 0	Slight=1
Rexburg, Id 83440	FLAMMABILITY: 0	Moderate=2
Date: 2/26/2019	REACTIVITY: 0	High=3
Phone: (208) 359-1106	EMERGENCY: 1-800-359-2095	Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:
	%:	
None of the components in this mixture are considered hazardous.		
Trade Secret	20	Not listed
Water	80	Not listed

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: Above 212 C	Appearance and Odor: Clear amber liquid and slight citrus smell
Vapor Pressure: No Data	Specific Gravity: 1.1
Vapor Density: 1.0	Melting Point: N/A
Solubility in Water: Complete	Evaporation Rate: N/A

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: No Flash Point
Extinguishing Media: N/A Use media suitable for surrounding fire.
Special Fire Fighting Procedures: N/A
Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: N/A
Hazardous Decomposition or Byproducts: Carbon Dioxide, Carbon Monoxide
Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD DATA

Health Hazards: None
Routes of entry, Signs and symptoms of exposure:
Skin: Neither an irritant nor a sensitizer in human patch testing.
Eyes: Mild irritant.
Inhalation: No toxic effects are known to be associated with inhalation of vapors.
Ingestion: Relative to other materials, a single dose of this product is relatively harmless by ingestion.
Medical conditions generally aggravated by exposure: N/A
Carcinogenic: Not listed.
Emergency and First Aid Procedures:
Skin: N/A
Eyes: Wash eyes.
Inhalation: N/A
Ingestion: N/A

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Wash down spill area with water and flush to a sewer serviced by a wastewater treatment facility.
Handling and Storing: Protect from freezing. Keep out of reach of children.
Other Precautions: Discarded product is not a hazardous waste under RCRA, 40 CFR 261.

SECTION VIII CONTROL MEASURES

Respiratory Protection: N/A
Ventilation: N/A
Protective Gloves: N/A
Eye Protection: N/A Other Protective Clothing or Equipment: N/A

PRODUCT NAME: HEAVEN'S BEST CLEANING SOLUTION **PRODUCT #101**

SECTION I

HB Franchise.		Least=0
P.O. Box 607	HEALTH: 0	Slight=1
Rexburg, Id 83440	FLAMMABILITY: 0	Moderate=2
Date: 2/26/2019	REACTIVITY: 0	High=3
Phone: (208) 359-1106	EMERGENCY: 1-800-359-2095	Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:
	%:	
None of the components in this mixture are considered hazardous.		
Trade Secret	Not listed	20
Water	Not listed	80

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: Above 212 C	Appearance and Odor: Clear amber liquid and slight citrus smell
Vapor Pressure: No Data	Specific Gravity: 1.1
Vapor Density: 1.0	Melting Point: N/A
Solubility in Water: Complete	Evaporation Rate: N/A

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: No Flash Point
Extinguishing Media: N/A Use media suitable for surrounding fire.
Special Fire Fighting Procedures: N/A
Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: N/A
Hazardous Decomposition or Byproducts: Carbon Dioxide, Carbon Monoxide
Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD DATA

Health Hazards: None
Routes of entry, Signs and symptoms of exposure:
Skin: Neither an irritant nor a sensitizer in human patch testing.
Eyes: Mild irritant.
Inhalation: No toxic effects are known to be associated with inhalation of vapors.
Ingestion: Relative to other materials, a single dose of this product is relatively harmless by ingestion.
Medical conditions generally aggravated by exposure: N/A
Carcinogenic: Not listed.
Emergency and First Aid Procedures:
Skin: N/A
Eyes: Wash eyes.
Inhalation: N/A
Ingestion: N/A

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Wash down spill area with water and flush to a sewer serviced by a wastewater treatment facility.
Handling and Storing: Protect from freezing. Keep out of reach of children.
Other Precautions: Discarded product is not a hazardous waste under RCRA, 40 CFR 261.

SECTION VIII CONTROL MEASURES

Respiratory Protection: N/A
Ventilation: N/A
Protective Gloves: N/A
Eye Protection: N/A
Other Protective Clothing or Equipment: N/A

PRODUCT NAME: HEAVEN'S BEST CITRUS BOOSTER **PRODUCT #102**

SECTION I

HB Franchise.		Least=0
P.O. Box 607	HEALTH: 1	Slight=1
Rexburg, Id 83440	FLAMMABILITY: 0	Moderate=2
Date: 2/26/2019	REACTIVITY: 0	High=3
Phone: (208) 359-1106	EMERGENCY: 1-800-359-2095	Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#: %:	Osha/Pel:
d-Limonene/Dipente		None
Octylphenoxypolyethoxyethanol		None
Ethylene Glycol Monbutyl Ether		50 ppm
Isodecyloxypropyliminodipropionic acid		None
Monosodium salt		None

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 192 F	Appearance and Odor: Opaque light yellow, citrus odor
Vapor Pressure: Similar to water	Specific Gravity: .929
Vapor Density: Same as water	Melting Point: N/A
Solubility in Water: Complete	Evaporation Rate: Same as water

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None
Extinguishing Media: Suitable for container.
Special Fire Fighting Procedures: None
Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: Strong Alkalis
Hazardous Decomposition or Byproducts: Carbon dioxide, carbon monoxide, sulfur dioxide
Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD

Health Hazards: Acute---Irritant, dermatitis, respiratory
Routes of entry, Signs and symptoms of exposure:
Skin: Irritation, dermatitis
Eyes: Irritation, burning sensation
Inhalation: Irritant
Ingestion: Call physician!
Medical conditions generally aggravated by exposure: Skin - dermatitis
Carcinogenic: Not listed
Emergency and First Aid Procedures:
Skin: Rinse with water
Eyes: Rinse with water for 15 minutes. Get medical attention if irritation persists.
Inhalation: Remove to fresh air.
Ingestion: Drink a lot of water.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Mop up with sponge or mop and rinse.
Handling and Storing: Keep from excessive heat and freezing temperatures.
Other Precautions: Dispose of according to Federal, State or local regulations.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None in ventilated area.
Ventilation: Local Exhaust is adequate.
Protective Gloves: Rubber or plastic.
Eye Protection: Safety Glasses.
Other Protective Clothing or Equipment: N/A

MSDS : LEATHER PROTECTION PA

PRODUCT#105

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

CHEMICAL FAMILY... : AQUEOUS DISPERSION OF RESINS OILS AND FATS
MANUFACTURER/DISTRIBUTOR: LEATHER PRO!
7809 East 134th Terrace
Grandview Missouri USA 64030
816-966-9065 Main
816-765-7453 Fax

2. COMPOSITION/ INFORMATION ON INGREDIENTS

Contains no hazardous ingredients above reportable thresholds

3. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS:

Prolonged or repeated contact may cause irritation of skin and eyes.

ROUTE(S) OF ENTRY.....: Skin and eye contact with liquid.

CARCINOGENICITY:

NTP.....: No

IARC.....: No

OSHA.....: No

4. FIRST AID MEASURES:

SKIN.....: Remove contaminated clothing and shoes. Wash with soap or mild detergent and large amounts of water. Do not use solvents or thinners.

EYES.....: Hold eyes open and flush for at least 15 minutes with large amounts of water.

Consult physician if irritation occurs.

INGESTION.: Do not induce vomiting. Give two glasses of water to dilute stomach contents.

Never give anything by mouth to an unconscious person. Consult physician immediately.

INHALATION: No inhalation hazards are anticipated for this product

5. FIRE FIGHTING MEASURES

FLASH POINT.....: Not applicable

EXTINGUISHING MEDIA...Alcohol foam, carbon dioxide, dry powder, or water spray.

SPECIAL FIRE FIGHTING PROCEDURES: Use self-contained breathing apparatus and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES:

SPILL AND LEAK PROCEDURES: Contain spills onto inert absorbent and place in suitable containers.

7. HANDLING AND STORAGE

STORAGE: Store closed containers in cool, dry area away from heat, direct sunlight, oxidizing agents, and strong acids and alkalis.

HANDLING: Avoid skin and eye contact. Do not eat, drink or smoke in area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Use in a well ventilated area.

RESPIRATORY PROTECTION: Not required.

SKIN PROTECTION: Clothing suitable to prevent skin contact.

Use butyl rubber gloves. Check suitability recommendations by protective equipment manufacturers, especially towards chemical breakthrough resistance.

EYE PROTECTION: Safety goggles with side shields.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: White Liquid
ODOR: Odorless pH 7-9
BOILING POINT: >212 oF (>100oC)
FLASH POINT212 oF (100oC)
AUTO IGNITION: >470oF(>250oC)
VAPOR PRESSURE: Not available
DENSITY: ~1.0 g/ml(25 oC)
VAPOR DENSITY: Not available
SOLUBILITY IN WATER: SOLUBLE

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable.
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide,
and other potentially toxic fumes.
POLYMERIZATION: Will not occur under regular conditions of use.
INCOMPATIBILITIES: Avoid strong acids, bases, and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

Believe to be practically non toxic.

12. ECOLOGICAL INFORMATION

Avoid contamination of ground water or waterways. Do not discharge into sewers.

DISPOSAL CONSIDERATIONS
TRANSPORT INFORMATION
REGULATORY INFORMATION

Incinerate or dispose of in accordance with Federal, State or Local regulations.
DOT SHIPPING NAME Not regulated.

All components of this product are on the TSCA Inventory. SARA Title III:
To the best of our knowledge this product contains no toxic chemicals subject to the supplier
notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act
(SARA/EPCRA) and the requirements of 40 CFR Part 372.

Note: Entries under this section cover only those regulations typically addressed in the MSDS
generating process, such as, TSCA, and EPCRA/SARA Title III.

16. OTHER INFORMATION

HAZCOM LABEL: CAUTION: PROLONGED OR REPEATED CONTACT MAY CAUSE
SKIN IRRITATION

To the best of our knowledge, the information contained in this MSDS is accurate. It is intended
to assist the user in his evaluation of the product's hazards, and safety precautions to be taken in
its use. The data on this MSDS relate only to the specific material designated herein. We do not
assume any liability for the use of, or reliance on this information, nor do we guarantee its
accuracy or completeness.

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

CHEMICAL FAMILY... : AQUEOUS DISPERSION OF RESINS OILS AND FATS

MANUFACTURER/DISTRIBUTOR: LEATHER PRO!

7809 East 134th Terrace

Grandview Missouri USA 64030

816-966-9065 Main

816-765-7453 Fax

2. COMPOSITION/ INFORMATION ON INGREDIENTS

Contains no hazardous ingredients above reportable thresholds

3. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS:

Prolonged or repeated contact may cause irritation of skin and eyes.

ROUTE(S) OF ENTRY.....: Skin and eye contact with liquid.

CARCINOGENICITY:

NTP.....: No

IARC.....: No

OSHA.....: No

4. FIRST AID MEASURES:

SKIN.....: Remove contaminated clothing and shoes. Wash with soap or mild detergent and large amounts of water. Do not use solvents or thinners.

EYES.....: Hold eyes open and flush for at least 15 minutes with large amounts of water.

Consult physician if irritation occurs.

INGESTION.: Do not induce vomiting. Give two glasses of water to dilute stomach contents.

Never give anything by mouth to an unconscious person. Consult physician immediately.

INHALATION: No inhalation hazards are anticipated for this product

5. FIRE FIGHTING MEASURES

FLASH POINT.....: Not applicable

EXTINGUISHING MEDIA...Alcohol foam, carbon dioxide, dry powder, or water spray.

SPECIAL FIRE FIGHTING PROCEDURES: Use self-contained breathing apparatus and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES:

SPILL AND LEAK PROCEDURES: Contain spills onto inert absorbent and place in suitable containers.

7. HANDLING AND STORAGE

STORAGE: Store closed containers in cool, dry area away from heat, direct sunlight, oxidizing agents, and strong acids and alkalis.

HANDLING: Avoid skin and eye contact. Do not eat, drink or smoke in area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Use in a well ventilated area.

RESPIRATORY PROTECTION: Not required.

SKIN PROTECTION: Clothing suitable to prevent skin contact.

Use butyl rubber gloves. Check suitability recommendations by protective equipment manufacturers, especially towards chemical breakthrough resistance.

EYE PROTECTION: Safety goggles with side shields.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: White Liquid ODOR:
..... Odorless pH 7-9
BOILING POINT: >212 oF (>100oC)
FLASH POINT 212 oF (100oC)
AUTO IGNITION: >470oF(>250oC)
VAPOR PRESSURE: Not available
DENSITY: ~1.0 g/ml(25 oC)
VAPOR DENSITY Not available
SOLUBILITY IN WATER Soluble

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable.
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide,
and other potentially toxic fumes.
POLYMERIZATION: Will not occur under regular conditions of use.
INCOMPATIBILITIES: Avoid strong acids, bases, and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

Believe to be practically non toxic.

12. ECOLOGICAL INFORMATION

Avoid contamination of ground water or waterways. Do not discharge into sewers.

DISPOSAL CONSIDERATIONS

TRANSPORT INFORMATION

REGULATORY INFORMATION

Incinerate or dispose of in accordance with Federal, State or Local regulations.

DOT SHIPPING NAME Not regulated.

All components of this product are on the TSCA Inventory. SARA Title III:

To the best of our knowledge this product contains no toxic chemicals subject to the supplier notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act (SARA/EPCRA) and the requirements of 40 CFR Part 372.

Note: Entries under this section cover only those regulations typically addressed in the MSDS generating process, such as, TSCA, and EPCRA/SARA Title III.

16. OTHER INFORMATION

HAZCOM LABEL: CAUTION: PROLONGED OR REPEATED CONTACT MAY CAUSE SKIN IRRITATION

Rtkleatherprotect.doc

To the best of our knowledge, the information contained in this MSDS is accurate. It is intended to assist the user in his evaluation of the product's hazards, and safety precautions to be taken in its use. The data on this MSDS relate only to the specific material designated herein. We do not assume any liability for the use of, or reliance on this information, nor do we guarantee its accuracy or completeness.

PRODUCT NAME: MARBLE POLISH

PRODUCT # 108

SECTION I

HB Franchise.
P.O. Box 607
Rexburg, Id 83440

HEALTH: 3
FLAMMABILITY: 0

Least=0
Slight=1
Moderate=2

Date: 2/26/2019 REACTIVITY: 0 High=3
Phone: (208) 359-1106 EMERGENCY: 1-800-359-2095 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	ACGIH TLV	%:
Magnesium Silico Flouride	16949-65-8	3Mg/M3	3mg/m3	10.0

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: Above 212 F	Appearance and Odor: Opaque Pink/Mint oder
Vapor Pressure: No Data	Specific Gravity: 1.1
Vapor Density: No Data	Melting Point: N/A
Solubility in Water: Miscible	Evaporation Rate: N/A

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: No Flash Point
Extinguishing Media: N/A
Special Fire Fighting Procedures: N/A
Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: N/A
Hazardous Decomposition or Byproducts: Strong Oxidizers. Chlorine releasing. Chemical Ammonia
Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD DATA

Health Hazards: Same signs & symptoms of exposure
Routes of entry, Inhalation, Ingestion, Skin: All possible
Skin: Wash with soap and water. Especially between the nails.
Eyes: Flush with water for 15 minutes. If irritation persists call physician.
Inhalation: Get person to fresh air. If unconscious call physician.
Ingestion: Drink large amounts of water followed by milk of magnesia.
Medical conditions generally aggravated by exposure: Same as signs and symptoms of over exposure.
Carcinogenic: Not listed.
Emergency and First Aid Procedures:
Skin: Wash with soap and water. Especially between the nails
Eyes: Flush with water for 15 minutes
Inhalation: Get person to fresh air. If unconscious call physician
Ingestion: Drink large amounts of water followed by milk of magnesia

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Wash down spill area with water and flush to a sewer serviced by a wastewater treatment facility.
Handling and Storing: Protect from freezing. Keep out of reach of children.
Other Precautions: Discarded product accordance with state and local regulation.

SECTION VIII CONTROL MEASURES

Respiratory Protection: N/A
Ventilation: N/A
Protective Gloves: Rubber. Plastics
Eye Protection: Glasses, Goggles
Other Protective Clothing or Equipment: Chemical resistant clothing.

PRODUCT NAME: MULTI-SURFACE MAINTAINER(Spotter32) PRODUCT #109

SECTION I

HB Franchise.	HEALTH: 1	Least=0
P.O. Box 607	FLAMMABILITY: 0	Slight=1
Rexburg, Id 83440	REACTIVITY: 0	Moderate=2
Date: 2/26/2019	EMERGENCY: 1-800-359-2095	High=3
Phone: (208) 359-1106		Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Polyethoxynonphenoxy ethanol	6841254	none	
Isopropanol	67630	400 ppm	

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212 F.	Appearance and Odor: yellow liquid/ lemon scent.
Vapor Pressure:	Specific Gravity: 1.00
Vapor Density: (Air=1):	Melting Point: N/A
Solubility in Water: Complete	Evaporation Rate: (water=1):> 1

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A
Extinguishing Media: N/A.
Special Fire Fighting Procedures: Non Flammable
Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: None.
Hazardous Decomposition or By products: Will not occur.
Hazardous Polymerization: None.
Conditions to Avoid: None

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure: Eyes, Skin, Inhalation, Ingestion.
Skin: Mild irritant.
Eyes: Possible irritant.
Inhalation: N/A.
Ingestion: May cause irritation.
Medical conditions generally aggravated by exposure: None known.
Carcinogenic: none.
Emergency and First Aid Procedures:
Skin: Flush with water.
Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.
Inhalation: N/A.
Ingestion: Dilute.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Mop up or otherwise absorb and hold disposal.
Handling and Storing: Keep away from fire and flame. Keep from freezing.
Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally required.
Ventilation: Local Exhaust, adequate
Protective Gloves: Rubber or neoprene.
Eye Protection: Chemical goggles.
Other Protective Clothing or Equipment: Water/solvent proof boots.

PRODUCT NAME: PET ENZYME TREATMENT (SPOTTER) PRODUCT #110

SECTION I

HB FRANCHISE.	HEALTH: 0	Least=0
P.O. Box 607	FLAMMABILITY: 0	Slight=1
Rexburg, Id 83440	REACTIVITY: 0	Moderate=2
Date: 2/26/2019		High=3

Phone: (208) 359-1106 EMERGENCY: 1-800-359-2095 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Nonhazardous Components: Cas#: Osha/Pel:
%:
Proprietary Formulation
Hazardous Components:
None

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 100c Appearance and Odor: Opaque liquid, slight odor.
Vapor Pressure: Equivalent to water Specific Gravity: 1.00
Vapor Density: 1.0 Melting Point: N/A
Solubility in Water: Complete Evaporation Rate: ND

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None
Extinguishing Media: Carbon dioxide, dry chemical, or Water spray.
Special Fire Fighting Procedures: None
Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: N/A
Decomposition or Byproducts: Not Know.
Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None known.
Routes of entry, Signs and symptoms of exposure:
Skin: May irritate extremely sensitive individuals.
Eyes: Possible eye irritant.
Inhalation: Inhaling mist could cause irritation to lungs and mucus membranes.
Ingestion: Ingestion may result in abdominal pain, nausea, and vomiting.
Medical conditions generally aggravated by exposure: Unknown.
Carcinogenic: None.
Emergency and First Aid Procedures:
Skin: Rinse skin with clear water.
Eyes: For eye contact immediately flush with clear running water for 15 minutes. Get medical attention.
Inhalation: Not applicable.
Ingestion : Watch victim for any signs of illness, induce vomiting only if advised by physician. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills:
Handling and Storing: Keep container closed when not in use. Do not freeze. Follow label instructions.
Other Precautions: Keep this and all chemicals out of the reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Not required.
Ventilation: Not required.
Protective Gloves: Recommended
Eye Protection: Safety glasses with side shield
Other Protective Clothing or Equipment: Not required.

PRODUCT NAME: HEAVEN'S BEST SPOTTER PRODUCT #111-112

SECTION I

HB Franchise. Least=0
P.O. Box 607 HEALTH: 0 Slight=1
Rexburg, Id 83440 FLAMMABILITY: 0 Moderate=2
Date: 2/26/2019 REACTIVITY: 0 High=3
Phone: (208) 359-1106 EMERGENCY: 1-800-359-2095 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:
%:		
None of the components in this mixture are considered hazardous.		
Trade Secret	20	Not listed
Water	80	Not listed

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: Above 212 C	Appearance and Odor: Clear amber liquid and slight citrus smell
Vapor Pressure: No Data	Specific Gravity: 1.1
Vapor Density: 1.0	Melting Point: N/A
Solubility in Water: Complete	Evaporation Rate: N/A

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: No Flash Point
 Extinguishing Media: N/A Use media suitable for surrounding fire.
 Special Fire Fighting Procedures: N/A
 Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable
 Incompatibility: N/A
 Hazardous Decomposition or Byproducts: Carbon Dioxide, Carbon Monoxide
 Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD DATA

Health Hazards: None
 Routes of entry, Signs and symptoms of exposure:
 Skin: Neither an irritant nor a sensitizer in human patch testing.
 Eyes: Mild irritant.
 Inhalation: No toxic effects are known to be associated with inhalation of vapors.
 Ingestion: Relative to other materials, a single dose of this product is relatively harmless by ingestion.
 Medical conditions generally aggravated by exposure: N/A
 Carcinogenic: Not listed.
 Emergency and First Aid Procedures:
 Skin: N/A
 Eyes: Wash eyes.
 Inhalation: N/A
 Ingestion: N/A

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Wash down spill area with water and flush to a sewer serviced by a wastewater treatment facility.
 Handling and Storing: Protect from freezing. Keep out of reach of children.
 Other Precautions: Discarded product is not a hazardous waste under RCRA, 40 CFR 261.

SECTION VIII CONTROL MEASURES

Respiratory Protection: N/A
 Ventilation: N/A
 Protective Gloves: N/A
 Eye Protection: N/A
 Other Protective Clothing or Equipment: N/A

PRODUCT NAME: HEAVEN'S BEST T.G.P.

PRODUCT #115

SECTION I

HB Franchise.		Least=0
P.O. Box 607	HEALTH: 1	Slight=1
Rexburg, Id 83440	FLAMMABILITY: 1	Moderate=2
Date: 2/26/2019	REACTIVITY: 0	High=3
Phone: (208) 359-1106	EMERGENCY: 1-800-359-2095	Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:
	%:	
Water		

Surfactant Blend
2-Butoxyethanol
Menth-1, 8-diene

25ppm

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: No Data Appearance and Odor: Clear liquid, Citrus Odor.
Vapor Pressure: No Data Specific Gravity: 0.920
Vapor Density: No Data Melting Point: N/A
Solubility in Water: Emulsifiable Evaporation Rate: No Data

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: 300 F (coc)
Extinguishing Media: Use water spray or fog, foam, dry chemical or carbon dioxide.
Special Fire Fighting Procedures: Fumes produced under fire conditions may be toxic and irritating.
Explosion Hazards: Heated containers may explode.

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: Oxidizers or strong acids.
Hazardous Decomposition or Byproducts: Carbon Dioxide, carbon monoxide, and unidentified organic compounds.
Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None known.
Routes of entry, Signs and symptoms of exposure:
Skin: Mild irritant.
Eyes: Mild irritant.
Inhalation: See First Aid Procedure's.
Ingestion: See First Aid Procedure's.
Medical conditions generally aggravated by exposure: None known.
Carcinogenic: Not listed.
Emergency and First Aid Procedures:
Skin: Flush with water.
Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.
Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.
Ingestion: Immediately drink large quantities of water. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Soak up with noncombustible absorbent and place in container for disposal. Keep all chemicals out of reach of children.
Handling and Storing: Keep away from fire and flame. Keep from freezing.
Other Precautions: Always wash hands after using chemical.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use NIOSH approved respirator as required to prevent over exposure.
Ventilation: Local Exhaust, adequate. Avoid breathing vapors.
Protective Gloves: Rubber or neoprene.
Eye Protection: Chemical goggles.
Other Protective Clothing or Equipment: Water/solvent proof boots.

PRODUCT NAME: DRY SOLVENT

PRODUCT #116

SECTION I

HB FRANCHISE.		Least=0
P.O. Box 607	HEALTH: 3	Slight=1
Rexburg, ID 83440	FLAMMABILITY: 0	Moderate=2
Date: 2/26/2019	REACTIVITY: 0	High=3
Phone: (208) 359-1106	EMERGENCY: 1-800-359-2095	Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:
	%:	
Odorless mineral spirits	64742-48-9	

This product contains the following chemicals subject to the reporting requirements of SARA 313 and 49 CFR 372.

Trichloroethylene	79-01-6	75
-------------------	---------	----

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 194 F
Vapor Pressure: 100
Vapor Density: 5
Solubility in Water: Slight
Appearance and Odor: Clear colorless liquid.
Specific Gravity: 1.10
Melting Point: N/A
Evaporation Rate: Faster

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None
Extinguishing Media: Water
Special Fire Fighting Procedures: Self contained breathing apparatus.
Explosion Hazards: Be aware of decomposition products.

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: None
Hazardous Decomposition or Byproducts: Hydrogen Chloride, Phosgene
Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None Established.
Routes of entry, Signs and symptoms of exposure:
Skin: Prolonged contact defats skin and causes irritation.
Eyes: Causes irritation. Use goggles or glasses with side shields.
Inhalation: Causes anesthetic action, cardiac sensitization.
Ingestion: May cause gastro intestinal irritation.
Medical conditions generally aggravated by exposure: Not Established.
Carcinogenic: None
Emergency and First Aid Procedures:
Skin: Wash with soap and water, if irritation persists consult physician.
Eyes: Flush with water, if irritation persists consult physician.
Inhalation: Remove to fresh air, if unconscious give artificial respiration, if breathing is difficult consult physician.
Ingestion: DO NOT INDUCE VOMITING, Get immediate medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Absorb into material such as sawdust etc.
Handling and Storing: Keep away from heat or flames. Keep container tightly closed and store in a cool place. Do not mix with other chemicals.
Other Precautions: Dispose of to a landfill in conformance with Local, State, and Federal regulations. This product contains ingredients subject to the reporting requirements of SARA 313 and CFR 372 as indicated above in this MSDS.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use an approved respirator for organic vapors.
Ventilation: Fans or equivalent. Protective Gloves: Impervious to solvents. Protect parts of body that may come in contact with product.

PRODUCT NAME: RED DYE REMOVER

PRODUCT #117

SECTION I

HB FRANCHISE.		Least=0
P.O. Box 607	HEALTH: 1	Slight=1
Rexburg, ID 83440	FLAMMABILITY: 0	Moderate=2
Date: 2/26/2019	REACTIVITY: 0	High=3
Phone: (208)-359-1106	EMERGENCY: 1-800-359-2095	Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Activator Solution:	Cas#	Osha/Pel
	%	
Trisodium-2-hydroxy-1,2,3-Propane		
Tricarboxylatedihydrate	68-04-02	
Dodecyl (sulfophenoxy) benzenesulfonic acid		
disodium salt	028519-02-1	
Oxybis disodium salt	025167-32-2	
Sodium sulfate	007757-82-6	
Sodium Chloride	007647-14-5	

Sodium Hydrogen Sulfite	7631-90-5	
Basic Solution:		
Poly(oxy-1,2-ethanediyl), alpha-(1,1,3,3-tetramethylbutyl) phenyl)-omega-hydroxy		9036-19-5
Dimethyl Carbinol	67-63-0	
Tetrasodium salt of ethylenediaminetetraacetic acid tetrahydrate		013235-36-4

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: 212 F	VAPOR PRESSURE: N/A
MELTING POINT: N/A	VAPOR DENSITY: N/A
SPECIFIC GRAVITY: N/A	H ₂ O SOLUBLE DISPERS.
APPEARANCE: PALE AMBER LIQUID	EVAPORATION RATE: N/A
ODOR: ODOR OF SULPHUR DIOXIDE	PH: 6-7

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A
Flammable Limits: (LEL: N/A) (UEL: N/A)
Extinguishing Media: CO₂, Water, Dry Chemical, Alcohol Foam
Special Fire Fighting Procedures: Use NIOSH approved self contained, pressure breathing apparatus and protective clothing where this material is involved in a fire.
Unusual fire and explosion hazards: None

SECTION V REACTIVITY DATA

Stability: Stable
Conditions to Avoid: excessive heat
Incompatibility: strong acids, oxidizers, aluminum
Hazardous decomposition: liberates oxides of sulphur & Na₂O
Hazardous polymerization: No

SECTION VI HEALTH HAZARD DATA

ROUTES OF ENTRY: (Skin: yes) (Inhalation: yes) (Ingestion: yes)
SIGNS, SYMPTOMS AND TREATMENTS:
Inhalation: May be irritating
Eye contact: Irritating to eyes
Skin contact: May be irritating upon prolonged contact
Ingestion: May cause nausea
CARCINOGENIC: This product contains no known carcinogenic chemicals
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: none known
FIRST AID MEASURES:
Inhalation: remove to fresh air
Eye contact: flush liberally with water for 15 minutes and consult physician.
Skin contact: flush with water
Ingestion: get immediate medical attention

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

SPILLS: Wipe or mop up and flush to sanitary sewer if permitted by federal, state and local regulations. For large spills, contain by diking with soil or other non combustible sorbant material, then dispose into DOT approved waste container. Comply with all applicable governmental regulations on spill reporting, handling and disposal of waste.
NEUTRALIZING CHEMICALS: Dilutes in water
WASTE DISPOSAL: Rinse empty container before disposing
SPECIAL PRECAUTIONS TO BE TAKEN IN HANDLING: Avoid high temperatures, strong acids, or oxidizers

SECTION VIII PERSONAL PROTECTION

VENTILATION: Use with adequate ventilation
RESPIRATORY PROTECTION: Not generally required in normal use
EYE PROTECTION: Safety goggles
GLOVES: Protective gloves
OTHER: Not generally required

SECTION IX SPECIAL PRECAUTIONS

One should always use chemicals with an awareness of the potential hazard of the effect on the human system. To minimize employee exposure to all chemicals, including this product, use good industrial hygiene practices.

PRODUCT NAME: WOOD STAIN REMOVER Container Part 1 **PRODUCT #118**

SECTION I

HB FRANCHISE.		Least=0
P.O. Box 607	HEALTH: 1	Slight=1
Rexburg, ID 83440	FLAMMABILITY:0	Moderate=2
Date: 2/26/2019	REACTIVITY: 0	High=3
Phone: (208) 359-1106		Extreme=4
Emergency: 1-800-359-2095		

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Nonhazardous Components:	Cas#:	Osha/Pel:	%:
Proprietary Trade Secret			
Hazardous Components:			
None			

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 102 C	Appearance and Odor: Clear liquid with mild odor.
Vapor Pressure: ND	Specific Gravity: 1.13
Vapor Density: ND	Melting Point: -8 C
Solubility in Water: Complete	Evaporation Rate: ND PH: 3-3.5

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None
Extinguishing Media: CO2, Water, Dry Chemical, Foam
Special Fire Fighting Procedures: Do not enter confined fire space without proper protective equipment including a NIOSH approve self contained breathing apparatus.
Explosion Hazards: None.

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: Organics, Other Flammables.
Hazardous Decomposition or Byproducts: Oxygen which supports combustion
Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None known.
Routes of entry, Signs and symptoms of exposure:
 Skin: Mild irritant to skin.
 Eyes: Severe irritant to eyes.
 Inhalation: Irritation and difficulty in breathing.
 Ingestion: Nausea.
Medical conditions generally aggravated by exposure:
Carcinogenic: None
Emergency and First Aid Procedures:
 Skin: Rinse skin with clear water.
 Eyes: For eye contact immediately flush with clear running water for 15 minutes. Get medical attention.
 Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.
 Ingestion: Immediately drink large quantities of water. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.
Handling and Storing: Keep container closed when not in use. Do not freeze. Follow label instructions.

Other Precautions: Keep this and all chemicals out of the reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: For exposure above established limits use NIOSH/MSMA approved dust/mist mask.

Ventilation: Mechanical--Recommended.

Protective Gloves: Rubber or neoprene.

Eye Protection: Chemical goggles with side shields.

Other Protective Clothing or Equipment: Drenching safety shower and eye wash station.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

PRODUCT NAME: BLOOD & PROTEIN REMOVER

PRODUCT #119

SECTION I

ADCO Inc.	HEALTH: 1	Least=0
900 W. Main	FLAMMABILITY: 1	Slight=1
Sedalia, MO 65301	REACTIVITY: 0	Moderate=2
Date: 2/26/2019	EMERGENCY: 1-800-821-7556 (ADCO)	High=3
Phone: (800) 424-9300 (Chemtrec)		Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:
None		

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212 F	Appearance and Odor: Light yellow liquid bland, slight ammonia
Vapor Pressure: No Data	Specific Gravity: 1.004
Vapor Density:	Melting Point: N/A
Solubility in Water: Miscible	Evaporation Rate: N/A

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: over 200 F
Extinguishing Media: Dry chemical, carbon dioxide, foam, water fog. Compatible with all types.
Special Fire Fighting Procedures: Avoid directing strong water stream into material may cause foaming.
Wear self-contained breathing apparatus when fighting fires in confined areas.
Explosion Hazards: Exposure to fire or high temperatures may produce noxious irritation or toxic fumes.

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: Strong oxidizers.
Hazardous Decomposition or Byproducts: Burning produces toxic, irritating fumes.
Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: Acute---May cause drying or irritation if splashed into eyes or on prolonged, repeated contact with skin.
Routes of entry, Signs and symptoms of exposure:
Skin: May see some irritation over an extended period of time.
Eyes: Irritation
Inhalation: None known.
Ingestion: See first aid procedures.
Medical conditions generally aggravated by exposure: None known.
Carcinogenic: None of the ingredients of this mixture have been identified as a carcinogen or probable carcinogen by NTP, IARC, or OSHA
Emergency and First Aid Procedures:
Skin: Completely flush the skin with water.
Eyes: Flush eyes for 15 minutes with water.
Inhalation: No treatment necessary.
Ingestion: Do Not Induce Vomiting. If symptoms persist, seek medical assistance.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Larger spills-soak up on absorbent material and transfer to containers for disposal as nonhazardous waste. Small spills-flush to sewer with water.
Handling and Storing: KEEP OUT OF REACH OF CHILDREN.
Other Precautions: DO NOT TAKE INTERNALLY. Keep containers closed when not in use.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None required when used as directed with adequate ventilation.
Ventilation: Normal industrial ventilation is adequate.
Protective Gloves: Ordinarily not needed. Use if contact with chemical is prolonged or frequent.
Eye Protection: Use goggles or face mask if splashing is likely.
Other Protective Clothing or Equipment: N/A

PRODUCT NAME: HEAVEN'S BEST RUST REMOVER

PRODUCT #120

SECTION I

HB Franchise. Least=0
P.O. Box 607 HEALTH: Slight=1
Rexburg, Id 83440 FLAMMABILITY: Moderate=2
Date: 2/26/2019 REACTIVITY: High=3
Phone: (208) 359-1106 EMERGENCY: 1-800-359-2095 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel:
%

Trade Secret, no hazardous components

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 217 Appearance and Odor: Light Amber and odorless.
Vapor Pressure: N/A Specific Gravity: 1.1
Vapor Density: N/A Melting Point: N/A
Solubility in Water: 100% Evaporation Rate: N/A

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None T.C.C.
Extinguishing Media: Foam, Dry Chemical.
Special Fire Fighting Procedures: N/A
Explosion Hazards: None.

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: Reacts with metals and regular glass.
Hazardous Decomposition or Byproducts: None
Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None
Routes of entry, Signs and symptoms of exposure:
Skin: Irritant to sensitive skin.
Eyes: Irritant to eyes.
Inhalation: No toxic effects are known to be associated with inhalation of vapors.
Ingestion: May cause illness.
Medical conditions generally aggravated by exposure: None known.
Carcinogenic: None known.
Emergency and First Aid Procedures:
Skin: Avoid contact if you have sensitive skin.
Eyes: Flush with water.
Inhalation: N/A
Ingestion: Seek Prompt Medical attention if swallowed.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Wash down spill area with water and flush to a sewer serviced by a wastewater treatment facility.
Handling and Storing: Protect from freezing. Keep out of reach of children.
Other Precautions: Discarded product is not a hazardous waste under RCRA, 40 CRF 261.

SECTION VIII CONTROL MEASURES

Respiratory Protection: N/A
Ventilation: Adequate
Protective Gloves: PVC, PE, or Neoprene.
Eye Protection: Safety Glasses
Other Protective Clothing or Equipment: N/A
Hygienic Work Practices: Avoid Breathing Vapor. Always wash hands after using any chemical.

PRODUCT NAME: FRESH SCENT

PRODUCT #121

SECTION I

HB Franchise. Least=0
P.O. Box 607 HEALTH: 1 Slight=1

Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106
Emergency: 1-800-359-2095

FLAMMABILITY: 2
REACTIVITY: 0

Moderate=2
High=3
Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components. Contains Isopropyl Alcohol Cas#: 67-63-0 Osha/Pel: N/A
%, less than .02%
Conforms to the RIFM and IFRA guidelines

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: N/A Appearance and Odor: Clear to Light Yellow
Vapor Pressure: N/A Specific Gravity: .915 - .920
Vapor Density: N/A Melting Point: N/A
Solubility in Water: Completely Soluble Evaporation Rate: N/A

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: Concentrate 117 Degree F, RTU 230 Degree F TCC
Extinguishing Media: Carbon Dioxide or other oil combatant types
Special Fire Fighting Procedures: Same as above
Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: N/A
Hazardous Decomposition or Byproducts: N/A
Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD DATA

Health Hazards: (Acute and Chronic): No acute and/or chronic health hazards. No significant adverse reactions have been reported. Liquid in eyes may cause limited, temporary irritation.
Routes of entry, Signs and symptoms of exposure:
Skin: None Eyes: minor irritation, Inhalation: minor irritation, Ingestion: minor irritation,
Medical conditions generally aggravated by exposure: none
Carcinogenic: None
Emergency and First Aid Procedures: Remove to fresh air. Eyes should be flushed with water.
Skin: none
Eyes: Flush with water
Inhalation: Remove to fresh air.
Ingestion: Remove to fresh air.

SECTION VII

PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Floor dessicant
Handling and Storing: Avoid Open Flame
Other Precautions: None

SECTION VIII CONTROL MEASURES

Respiratory Protection: Not usually required, Protective Gloves: None, Eye Protection: None
Ventilation: Local exhaust - Not required, Mechanical (General) Fan or Blowers when required.
Other Protective Clothing or Equipment: None

PRODUCT NAME: CHERRY ALMOND DEODORIZER

PRODUCT #122

SECTION I

HB Franchise.
P.O. Box 607
Rexburg, Id 83440

HEALTH: 0
FLAMMABILITY: 0

Least=0
Slight=1
Moderate=2

Date: 2/26/2019 REACTIVITY: 0 High=3
Phone: (208) 359-1106 EMERGENCY: 1-800-359-2095 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:
n-Alkyl (50% C14, 40% C12, 10% C16)		
dimethyl benzyl ammonium chloride	5 %	Not established
Reodorant perfume	2 %	Not established

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 214 F	Appearance and Odor: Light tan liquid, cherry almond odor
Vapor Pressure: N/A	Specific Gravity: 1.08
Vapor Density: N/A	Melting Point: N/A
Solubility in Water: 98%	Evaporation Rate: Buryl Acetate=1 Similar to water

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None
Extinguishing Media: N/A
Special Fire Fighting Procedures: N/A
Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: Strong oxidizing or reducing agents.
Hazardous Decomposition or Byproducts: Oxides of carbon and nitrogen.
Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None
Routes of entry, Signs and symptoms of exposure:
Skin: Mild irritant.
Eyes: Mild irritant.
Inhalation: See First Aid Procedure's.
Ingestion: See First Aid Procedure's.
Medical conditions generally aggravated by exposure: N/A
Carcinogenic: N/A
Emergency and First Aid Procedures:
Skin: Rinse with water.
Eyes: Immediately rinse with water for 15 minutes. Get medical attention if irritation persists.
Inhalation: If overexposure occurs, remove to fresh air.
Ingestion: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or large quantities of water.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Mop up and rinse area with water.
Handling and Storing: Protect from freezing. Keep out of reach of children.
Other Precautions: N/A

SECTION VIII CONTROL MEASURES

Respiratory Protection: Adequate ventilation.
Ventilation: Local Exhaust
Protective Gloves: N/A
Eye Protection: Safety Glasses
Other Protective Clothing or Equipment: N/A

PRODUCT NAME: FINAL STEP DEODORIZER

PRODUCT #123

SECTION I

HB FRANCHISE.

P.O. Box 607

Rexburg, Id 83440

Date: 2/26/2019

Phone: (208) 359-1106

Emergency: 1-800-359-2095

HEALTH: 1

FLAMMABILITY: 0

REACTIVITY: 0

Least=0

Slight=1

Moderate=2

High=3

Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel: %:

chlorine Dioxide 10049-04-4 Not Established <1

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212 F Appearance and Odor: Clear liquid, slight chlorine

Vapor Pressure: N/A Specific Gravity: 1.05

Vapor Density: N/A Melting Point: N/A

Solubility in Water: Complete Evaporation Rate: less than ether

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None

Extinguishing Media: N/A

Special Fire Fighting Procedures: Do not enter a confined fire space with out proper equipment including a NIOSH approved self contained breathing apparatus.

Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Do not mix with strong acids

Hazardous Decomposition or Byproducts: Chlorine Dioxide or chlorine.

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: (Acute & Chronic): None Known

Routes of entry, Signs and symptoms of exposure:

Skin: Mild irritant. Protective Gloves: Rubber or neoprene.

Eyes: Mild irritant. Eye Protection: Chemical goggles with side shields.

Inhalation: Mild Irritation to respiratory system. Ventilation: Mechanical recommended.

Ingestion: Gastric pain and vomiting.

Medical conditions generally aggravated by exposure: None Known.

Carcinogenic: None.

Emergency and First Aid Procedures:

Skin: Rinse with clear water.

Eyes: Immediately flush with clear running water for 15 minutes. Get Medical attention.

Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.

Ingestion: Immediately drink large quantities of water. Get medical attention.

Other Protective Clothing or Equipment: Drenching safety shower and eye wash station.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.

Handling and Storing: Keep container closed when not in use. Do not freeze.

Other Precautions: Keep this and all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use NIOSH\MSMA approved dust\mist mask.

PRODUCT NAME: HEAVEN'S BEST ORANGE DEODORIZER PRODUCT# 124

SECTION I

HB Franchise.		Least=0
P.O. Box 607	HEALTH: 0	Slight=1
Rexburg, Id 83440	FLAMMABILITY: 1	Moderate=2
Date: 2/26/2019	REACTIVITY: 0	High=3
Phone: (208) 359-1106	EMERGENCY: 1-800-359-2095	Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:
	%:	
Components are not listed as hazardous	100	None

per ACGIH

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212 F	Appearance and Odor: Clear yellow liquid, Citrus odor.
Vapor Pressure: 1 mm	
Specific Gravity: .863	
Vapor Density: 1.1	Melting Point: n/a
Solubility in Water: Appreciable	Evaporation Rate: Butyl Acetat=1 lt 1

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: 115 F
Extinguishing Media: Dry powder, chemical foam, carbon dioxide.
Special Fire Fighting Procedures: Self contained breathing apparatus, full face piece operated in pressure demand or other positive mode.
Explosion Hazards: n/a

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: Strong oxidizing agents.
Hazardous Decomposition or Byproducts: Ammonia, Carbon Dioxide, Carbon Monoxide and various Hydrocarbons.
Hazardous Polymerization: May occur.
Conditions to Avoid: Polymerization catalysts such as aluminum chloride.

SECTION VI HEALTH HAZARD DATA

Health Hazards: Acute.
Routes of entry, Signs and symptoms of exposure:
Skin: Irritant, dermatitis may result.
Eyes: Irritant Eye Protection: Splash Goggles or Face Shield.
Inhalation: Irritant, respiratory inflammation may occur. Avoid Breathing vapor or mist.
Ingestion: See First Aid Procedure's.
Medical conditions generally aggravated by exposure: N/A
Carcinogenic: Not listed.
Emergency and First Aid Procedures:
Skin: Wash with soap and water.
Eyes: Flush eyes with water for 15 minutes. Call a physician.
Inhalation: Remove to fresh air. Administer oxygen if necessary. Call a physician.
Ingestion: Dilute by drinking water or milk. Contact a physician immediately.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Eliminate source of ignition. Absorb on dirt, sand, or other suitable absorbent.
Handling and Storing: Keep away from fire or flame, avoid breathing vapors. Keep out of reach of children. Protective clothing and boots.
Other Precautions: Follow federal, state, and local regulations when disposing of waste.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Adequate Ventilation. Protective Gloves: PVC, PE, or Neoprene

PRODUCT NAME: **PET ENZYME**

PRODUCT #125

SECTION I

HB FRANCHISE.		Least=0
P.O. Box 607	HEALTH: 0	Slight=1
Rexburg, Id 83440	FLAMMABILITY: 0	Moderate=2

Date: 2/26/2019 REACTIVITY: 0 High=3
Phone: (208) 359-1106 EMERGENCY: 1-800-359-2095 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Nonhazardous Components: Cas#: Osha/Pel:
%

Proprietary Formulation

Hazardous Components:

None

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 100c Appearance and Odor: Opaque liquid, slight odor.
Vapor Pressure: Equivalent to water Specific Gravity: 1.00
Vapor Density: 1.0 Melting Point: N/A
Solubility in Water: Complete Evaporation Rate: ND

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None

Extinguishing Media: Carbon dioxide, dry chemical, or Water spray.

Special Fire Fighting Procedures: None

Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: N/A

Decomposition or Byproducts: Not Know.

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None known.

Routes of entry, Signs and symptoms of exposure:

Skin: May irritate extremely sensitive individuals.

Eyes: Possible eye irritant.

Inhalation: Inhaling mist could cause irritation to lungs and mucus membranes.

Ingestion: Ingestion may result in abdominal pain, nausea, and vomiting.

Medical conditions generally aggravated by exposure: Unknown.

Carcinogenic: None.

Emergency and First Aid Procedures:

Skin: Rinse skin with clear water.

Eyes: For eye contact immediately flush with clear running water for 15 minutes. Get medical attention.

Inhalation: Not applicable.

Ingestion : Watch victim for any signs of illness, induce vomiting only if advised by physician. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills:

Handling and Storing: Keep container closed when not in use. Do not freeze. Follow label instructions.

Other Precautions: Keep this and all chemicals out of the reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Not required.

Ventilation: Not required.

Protective Gloves: Recommended

Eye Protection: Safety glasses with side shield

Other Protective Clothing or Equipment: Not required.

PRODUCT NAME: HEAVEN'S BEST FABRIC PROTECTOR PRODUCT #126

SECTION I

HB FRANCHISE.

247 N. 1st East P.O. Box 607

Rexburg, ID 83440

Date: 2/26/2019

Phone: (208) 359-1106

HEALTH:3

FLAMMABILITY:3

REACTIVITY:0

EMERGENCY: 1-800-359-2095

Least=0

Slight=1

Moderate=2

High=3

Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION		
Hazardous Components:	Cas#:	Osha/Pel:
	%:	
Isoparaffinic Hydrocarbons	64742-48-9	300
Copolymer Resin	N/A	Not Established

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS	
Boiling Point: 311-348 F	Appearance and Odor: Slight Hydrocarbon colorless Vapor
Pressure: <10mm Hg at 77 F	Specific Gravity: .75
Vapor Density: Heavy	Melting Point: N/A
Solubility in Water: <0.7% essentially insoluble Evaporation Rate: Slower than Ether	

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: 106 F

Extinguishing Media: Use foam, dry chemical or Co2. Water fog may lessen fire intensity.

Special Fire Fighting Procedures: Use self-contained breathing apparatus with full face piece operated in pressure-demand or other positive pressure mode.

Explosion Hazards: Isolate from excessive heat. Closed containers may explode when exposed to extreme heat. Keep container closed when not is use.

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Oxidizing agents.

Hazardous Decomposition or Byproducts: Carbon Monoxide and Carbon Dioxide. Aldehydes

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards:

Routes of entry, Signs and symptoms of exposure:

Skin: Prolonged or repeated skin contact can cause drying irritation, and dermatitis.

Eyes: Eye Contact can cause irritation, redness, tearing, and blurred vision.

Inhalation: Excessive inhalation of vapors can cause giddiness, headache, dizziness, and nausea.

Ingestion: Seek medical assistance.

Medical conditions generally aggravated by exposure: None known.

Carcinogenic: None known.

Emergency and First Aid Procedures:

Skin: Remove contaminated clothing and wash skin with soap and warm water.

Eyes: Flush eyes with water for 15 minutes or until irritation subsides.

Inhalation: Remove to fresh air. Call a physician.

Ingestion: Obtain medical assistance to determine the best emergency treatment.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dike and contain spill. Clean up immediately. Avoid buildup of vapors.

Handling and Storing: Keep away from excessive heat, sparks and flame. Store in a clean, dry area. Keep product away from moisture and close containers when not in use.

Other Precautions: Intentional misuse by deliberately concentrating or inhaling vapors may be harmful or fatal.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally needed.

Ventilation: Provide sufficient mechanical and/or local ventilation to maintain exposure levels below the TLV.

Protective Gloves: Use chemical resistant gloves if needed to avoid repeated or prolonged skin contact.

PRODUCT NAME: FAST ACTING ENZYME **PRODUCT #127**

SECTION I		
HB FRANCHISE.		Least=0
P.O. Box 607	HEALTH: 1	Slight=1
Rexburg, Id 83440	FLAMMABILITY: 0	Moderate=2
Date: 2/26/2019	REACTIVITY: 0	High=3
Phone: (208) 359-1106		Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:
Sodium Carbonate	497-19-8	Not Established
Sodium Silcate	6834-92-0	Not Established
Nonhazardous Components		
Triacylglycerol Liqase	9001-62-1	

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: N/A	Appearance and Odor: Granular material with pleasant odor
Vapor Pressure: N/A	Specific Gravity: 1.15
Vapor Density: N/A	Melting Point: N/A
Solubility in Water: Complete	Evaporation Rate: N/A

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None
 Extinguishing Media: N/A
 Special Fire Fighting Procedures: Do not enter a confined fire space with out proper equipment including a NIOSH approved self contained breathing apparatus.
 Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable
 Incompatibility: Do not mix with strong acids
 Hazardous Decomposition or Byproducts: Heat, carbon dioxide, and carbon monoxide.
 Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: (Acute & Chronic): None Known
 Routes of entry, Signs and symptoms of exposure:
 Skin: Severe irritant.
 Eyes: Severe irritant.
 Inhalation: Irritation to respiratory system.
 Ingestion: Gastric pain and vomiting.
 Medical conditions generally aggravated by exposure: None Known.
 Carcinogenic: None.
 Emergency and First Aid Procedures:
 Skin: Rinse with clear water.
 Eyes: Immediately flush with clear running water for 15 minutes. Get Medical attention.
 Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.
 Ingestion: Immediately drink large quantities of water. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.
 Handling and Storing: Keep container closed when not in use. Do not freeze.
 Other Precautions: Keep this and all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use NIOSH\MSMA approved dust\mist mask.
 Ventilation: Mechanical recommended.
 Protective Gloves: Rubber or neoprene.
 Eye Protection: Chemical goggles with side shields.

PRODUCT NAME: QUICK BOOST **PRODUCT #128**

SECTION I

HB FRANCHISE.		Least=0
P.O. Box 607	HEALTH: 1	Slight=1
Rexburg, Id 83440	FLAMMABILITY: 0	Moderate=2
Date: 2/26/2019	REACTIVITY: 0	High=3
Phone: (208) 359-1106		Extreme=4
Emergency: 1-800-359-2095		

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Components:	Cas#:	Osha/Pel:	%:
-------------	-------	-----------	----

Sodium Tripolyphosphate	7758-29-4	Not Established
Sodium Trimetaphosphate	7785-84-4	Not Established
Tetrasodium pyrophosphate	7722-88-5	Not Established

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: N\A	Appearance and Odor: White Granular material no odor
Vapor Pressure: N\A	Specific Gravity: N\A
Vapor Density: N\A	Melting Point: 622 degrees C
Solubility in Water: 14.8 @ 25 degrees C	Evaporation Rate: N\A

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None
Extinguishing Media: N\A
Special Fire Fighting Procedures: None
Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: Do not mix with strong acids
Hazardous Decomposition or Byproducts: Heat, carbon dioxide, and carbon monoxide.
Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: (Acute & Chronic): None Known
Routes of entry, Signs and symptoms of exposure:
Skin: Slight irritant.
Eyes: Slight irritant.
Inhalation: Irritation to respiratory system. May cause coughing, chest tightness or pain, runny nose, or burning throat.
Ingestion: Gastric pain and vomiting, nausea, or diarrhea.
Medical conditions generally aggravated by exposure: None Known.
Carcinogenic: None.
Emergency and First Aid Procedures:
Skin: Rinse with clear water.
Eyes: Immediately flush with clear running water for 15 minutes. Get Medical attention.
Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention. Give oxygen.
Ingestion: Immediately drink large quantities of water. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.
Handling and Storing: Keep container closed when not in use.
Other Precautions: Keep this and all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use NIOSH\MSMA approved dust\mist mask.
Ventilation: Mechanical recommended.

Protective Gloves: Rubber or neoprene.

Eye Protection: Chemical goggles with side shields.

Other Protective Clothing or Equipment: Drenching safety shower and eye wash station.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

SECTION I

HB Franchise.

P.O. Box 607

Rexburg, Id 83440

Date: 2/26/2019

Phone: (208) 359-1106

Emergency: 1-800-359-2095

HEALTH: 1

FLAMMABILITY: 1

REACTIVITY: 0

Least=0

Slight=1

Moderate=2

High=3

Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:

Dipropylene glycol nethyl ether

N-methyl pyrrolidone

Cas#:

34590-94-8

872-50-4

Osha/Pel:

%:

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: No Data

Vapor Pressure: No Data

Vapor Density: No Data

Solubility in Water: Partially soluble

Appearance and Odor: Yellowish Clear liquid, mild Odor.

Specific Gravity: 1.03

Melting Point: N/A

Evaporation Rate: No Data

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: 300 F (coc)

Extinguishing Media: Alcohol foam, dry chemical or carbon dioxide.

Special Fire Fighting Procedures: Vapors are heavier than air care should be taken to force air into room to remove vapors.

Explosion Hazards: Remove all sources of ignition prior to applying.

SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Oxidizers or strong acids.

Hazardous Decomposition or Byproducts: Carbon Dioxide, carbon monoxide, and heat.

Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None known.

Routes of entry, Signs and symptoms of exposure:

Skin: Mild irritant.

Eyes: Possible irritant.

Inhalation: Vapors are harmful if inhaled

Ingestion: Gastric pain and vomiting.

Medical conditions generally aggravated by exposure: None known.

Carcinogenic: none.

Emergency and First Aid Procedures:

Skin: Flush with water. If irritation results, apply skin cream

Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.

Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.

Ingestion: Immediately drink large quantities of water. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.

Handling and Storing: Keep away from fire and flame. Keep from freezing.

Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use NIOSH approved respirator as required to prevent over exposure.

Ventilation: Local Exhaust, adequate

Protective Gloves: Rubber or neoprene.

Eye Protection: Chemical goggles.

Other Protective Clothing or Equipment: Water/solvent proof boots.

Hygienic Work Practices: Avoid breathing vapors. Always wash hands after using any chemical.

SECTION I

HB Franchise.
P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106
Emergency: 1-800-359-2095

HEALTH: 1
FLAMMABILITY: 0
REACTIVITY: 0

Least=0
Slight=1
Moderate=2
High=3
Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:
NONE

Cas#: Osha/Pel: %:

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >35C
Vapor Pressure: No Data
Vapor Density: No Data
Solubility in Water: Partially soluble

Appearance and Odor: Viscous Liquid White Slight odor.
Specific Gravity: @ 25C: 1.0
Melting Point: N/A
Evaporation Rate: No Data

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: NA
Extinguishing Media: NA.
Special Fire Fighting Procedures:
Explosion Hazards: NONE

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: Oxidizers or strong acids.
Hazardous Decomposition or Byproducts: NONE.
Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: Dehydration and congestion may occur in internal organs..

Routes of entry, Signs and symptoms of exposure:

Skin: Mild irritant.
Eyes: Possible irritant.
Inhalation: No first aid should be needed.
Ingestion: No know applicable information.

Medical conditions generally aggravated by exposure: None known.

Carcinogenic: none.

Emergency and First Aid Procedures:

Skin: Flush with water.
Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.
Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.
Ingestion: If large quantities were swallowed. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.

Handling and Storing: Keep away from fire and flame. Keep from freezing.

Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Adequate ventilation.

Ventilation: Local Exhaust, adequate

Protective Gloves: Rubber or neoprene.

Eye Protection: Chemical goggles.

Other Protective Clothing or Equipment: Water/solvent proof boots.

Hygienic Work Practices: Avoid breathing vapors. Always wash hands after using any chemical.

PRODUCT NAME: DISINFECTANT & ANTI - BACTERIAL PRODUCT #132

SECTION I

HB Franchise.		Least=0
P.O. Box 607	HEALTH: 3	Slight=1
Rexburg, Id 83440	FLAMMABILITY: 1	Moderate=2
Date: 2/26/2019	REACTIVITY: 0	High=3
Phone: (208) 359-1106		Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Dimethylbenzyl ammonium chloride	68424-85-1	NA	
Dimethyl Ammonium chloride	68424-95-3	NA	

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 214 F	Appearance and Odor: Clear liquid, mild Odor.
Vapor Pressure: No Data	Specific Gravity: 1.00
Vapor Density: No Data	Melting Point: N/A
Solubility in Water: Complete	Evaporation Rate: No Data

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: None)
Extinguishing Media: Alcohol foam, dry chemical or carbon dioxide.
Special Fire Fighting Procedures: None.
Explosion Hazards: None.

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: Oxidizers or strong acids.
Hazardous Decomposition or Byproducts: Carbon Dioxide, carbon monoxide, and heat.
Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None known.
Routes of entry, Signs and symptoms of exposure:
Skin: Mild irritant.
Eyes: Possible irritant.
Inhalation: Vapors are harmful if inhaled
Ingestion: Gastric pain and vomiting.
Medical conditions generally aggravated by exposure: None known.
Carcinogenic: none.
Emergency and First Aid Procedures:
Skin: Flush with water. If irritation results, apply skin cream
Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.
Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.
Ingestion: Immediately drink large quantities of water. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.
Handling and Storing: Keep away from fire and flame. Keep from freezing.
Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use NIOSH approved respirator as required to prevent over exposure.
Ventilation: Local Exhaust, adequate
Protective Gloves: Rubber or neoprene.
Eye Protection: Chemical goggles.
Other Protective Clothing or Equipment: Water/solvent proof boots.
Hygienic Work Practices: Avoid breathing vapors. Always wash hands after using any chemical.

HB Franchise.
P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106

SECTION I
HEALTH: 2
FLAMMABILITY: 4
REACTIVITY: 0

Least=0
Slight=1
Moderate=2
High=3
Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Acetone	67-64-1		70-80
Propane	74-98-6		10-20
N-Butane	106-97-8		10-20
Fragrance	No Cas		less 5.00

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: NA
Vapor Pressure: NA
Vapor Density: NA
Solubility in Water: Insoluble

Appearance and Odor: Aerosols/ Citrus.
Specific Gravity: NA
Melting Point: N/A
Evaporation Rate: less 1.00 (diethyl ether =1)

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: Flammable Aerosol
Extinguishing Media: Foam, dry chemical or carbon dioxide water spray or fog.
Special Fire Fighting Procedures: None.
Explosion Hazards: None.

SECTION V REACTIVITY DATA

Stability: Unstable under certain conditions Open flames, spark, heat, other ignition sources.
Incompatibility: Oxidizers or strong acids.
Hazardous Decomposition or Byproducts: Carbon Dioxide, carbon monoxide, and heat.
Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None known.
Routes of entry, Signs and symptoms of exposure:
Skin: Mild irritant.
Eyes: Possible irritant.
Inhalation: Vapors are harmful if inhaled
Ingestion: Gastric pain and vomiting. Dizziness, drowsiness and confusion.
Medical conditions generally aggravated by exposure: yes
Carcinogenic: none.
Emergency and First Aid Procedures:
Skin: Flush with water. If irritation results, apply skin cream
Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.
Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.
Ingestion: Immediately drink large quantities of water. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.
Handling and Storing: Keep away from fire and flame. Keep from freezing.
Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use NIOSH approved respirator as required to prevent over exposure.
Ventilation: Local Exhaust, adequate
Protective Gloves: Rubber or neoprene.
Eye Protection: Chemical goggles.
Other Protective Clothing or Equipment: Water/solvent proof boots.
Hygienic Work Practices: Avoid breathing vapors. Always wash hands after using any chemical

SECTION I

HB FRANCHISE.		Least=0
P.O. Box 607	HEALTH: 1	Slight=1
Rexburg, Id 83440	FLAMMABILITY: 2	Moderate=2
Date: 2/26/2019	REACTIVITY: 0	High=3
Phone: (208) 359-1106		Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Components:	Cas#:	Osha/Pel:	TLV
Acetic Acid	64-19-7	10 p.p.	10p.p.m
Citric Acid	77-92-9	N/A	N/A

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: N\A	Appearance and Odor: Clear Liquid -Apple Vinegar
Vapor Pressure: N\A	Specific Gravity: 1.02 g/ml
Vapor Density: N\A	Melting Point: N/A
Solubility in Water: Complete	Evaporation Rate: N\A

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: 159 F
Extinguishing Media: Water spay, dry chemical, carbon dioxide, alcohol foam.
Special Fire Fighting Procedures: Do not enter fire space with out proper protective equipment including a NOISH approved self contained breathing apparatus.
Hazards Combustion: carbon dioxide monoxide.

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: Material reacts with strong oxidizing agents.
Hazardous Decomposition or Byproducts: Heat, carbon dioxide, and carbon monoxide.
Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None Known
Routes of entry, Signs and symptoms of exposure:
Skin: Yes Slight irritant.
Eyes: Yes Slight irritant.
Inhalation: Avoid breathing mist. May cause irritation.
Ingestion: Gastric pain and vomiting, nausea, or diarrhea.
Medical conditions generally aggravated by exposure: None Known.
Carcinogenic: None.
Emergency and First Aid Procedures:
Skin: Rinse with clear water.
Eyes: Immediately flush with clear running water for 15 minutes. Get Medical attention.
Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention. Give oxygen.
Ingestion: Immediately drink large quantities of water,milk or other liquid. Avoid alcohol. Get medical attention. Do NOT induce vomiting.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.

Handling and Storing: Keep container closed when not in use.

Other Precautions: Keep this and all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use NIOSH\MSMA approved dust\mist mask.

Ventilation: Mechanical recommended.

Protective Gloves: Rubber or neoprene.

Eye Protection: Chemical goggles with side shields.

Other Protective Clothing or Equipment: Drenching safety shower and eye wash station.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

SECTION I		
HB FRANCHISE.		Least=0
247 N. 1st East P.O. Box 607	HEALTH:1	Slight=1
Rexburg, ID 83440	FLAMMABILITY:0	Moderate=2
Date: 2/26/2019	REACTIVITY:0	High=3
Phone: (208) 359-1106	EMERGENCY: 1-800-359-2095	Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION			
Hazardous Components:	Cas#:	%	Osha/Pel:
Water	7732-18-5	88-96	
Partially Fluorinated Urethane		1-5	
Phenolic Resin Condensate		1-3	
Acrylic Polymer		1-3	
1,3 Propanediol	504-63-2	1-2	

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS	
Boiling Point: NA	Appearance and Odor: Opaque Liquid, Tan
Vapor Pressure: NA	Specific Gravity: 1.02 @ 20C (68F)
Vapor Density: Heavy	Melting Point: N/A
Solubility in Water: 100%	Evaporation Rate: NA

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: Does not ignite
 Extinguishing Media: Use water, dry chemical or Co2.
 Special Fire Fighting Procedures: Use self-contained breathing apparatus with full face piece operated in pressure-demand or other positive pressure mode.
 Explosion Hazards: Closed containers may explode when exposed to extreme heat. Keep container closed when not in use.

SECTION V REACTIVITY DATA

Stability: Stable
 Incompatibility: Oxidizing agents.
 Hazardous Decomposition or Byproducts: Carbon Monoxide and Carbon Dioxide. Aldehydes
 Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards:
 Routes of entry, Signs and symptoms of exposure:
 Skin: Prolonged or repeated skin contact can cause skin irritation.
 Eyes: Eye Contact can cause irritation, Immediately flush with water for 15 minutes.
 Inhalation: Excessive inhalation of vapors can cause lung irritation.
 Ingestion: Do not induce vomiting. Immediately give 2 glasses of water. Seek medical assistance.
 Medical conditions generally aggravated by exposure:
 Carcinogenic: None known.
 Emergency and First Aid Procedures:
 Skin: Remove contaminated clothing and wash skin with soap and warm water.
 Eyes: Flush eyes with water for 15 minutes or until irritation subsides.
 Inhalation: Remove to fresh air. Call a physician.
 Ingestion: Obtain medical assistance to determine the best emergency treatment.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dike and contain spill. Clean up immediately. Avoid buildup of vapors.
 Handling and Storing: Keep away from excessive heat, sparks and flame. Store in a clean, dry area. Keep product away from moisture and close containers when not in use.
 Other Precautions: Intentional misuse by deliberately concentrating or inhaling vapors may be harmful or fatal.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally needed. Ventilation: Provide sufficient mechanical and/or local ventilation to maintain exposure levels below the TLV. Protective Gloves: Use chemical resistant gloves if needed to avoid repeated or prolonged skin contact.

PRODUCT NAME: LEATHER CLEANER & CONDITIONER PRODUCT #140

SECTION I
 Least=0

HB Franchise.

P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106

HEALTH: 1
FLAMMABILITY: 2
REACTIVITY: 0

Slight=1
Moderate=2
High=3
Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Water	007732-18-5		
Citrus Oil			
Amine Soap			
Polysiloxane			

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: Above 200 degrees F	Appearance and Odor: Yellowish paste, citrus odor.
Vapor Pressure: No Data	Specific Gravity: .95
Vapor Density: No Data	Melting Point: N/A
Solubility in Water: 80-90 percent	Evaporation Rate: No Data

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: NA
Extinguishing Media: Alcohol foam, dry chemical or carbon dioxide.
Special Fire Fighting Procedures: None
Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: None known.
Hazardous Decomposition or Byproducts: Acrid fumes
Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards: None known.
Routes of entry, Signs and symptoms of exposure:
Skin: Mild irritant.
Eyes: Mild irritant.
Inhalation: Mild irritant.
Ingestion: May cause nausea.
Medical conditions generally aggravated by exposure: None known.
Carcinogenic: none.
Emergency and First Aid Procedures:
Skin: Flush with water.
Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.
Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.
Ingestion: Immediately drink large quantities of water. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.
Handling and Storing: Keep away from fire and flame. Keep from freezing.
Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use NIOSH approved respirator as required to prevent over exposure.
Ventilation: Local Exhaust, adequate
Protective Gloves: Rubber or neoprene.
Eye Protection: Chemical goggles.
Other Protective Clothing or Equipment: Water/solvent proof boots.
Hygienic Work Practices: Avoid breathing vapors. Always wash hands after using any chemical.

PRODUCT NAME: GUM FREEZER

PRODUCT #145

SECTION I

HB Franchise.
P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106

HEALTH: 1
FLAMMABILITY: 4
REACTIVITY: 0

Least=0
Slight=1
Moderate=2
High=3
Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Propane	74-98-6	1,000ppm	
Butane	06-97-8	800ppm	

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: -6.4 to +10.9 F	Appearance and Odor: clear liquid, sweet petroleum
Vapor Pressure: 46	Specific Gravity: .56
Vapor Density:	Melting Point:
Solubility in Water: none	Evaporation Rate: immediate at temperatures above -6.4 F

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: Extremely Flammable
Extinguishing Media: Dry chemical (B-C), H2O
Special Fire Fighting Procedures: Keep cool using water spray. Protect personnel from bursting containers
Explosion Hazards: Vapors heavier than air and may travel along ground.

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: none
Hazardous Decomposition or Byproducts: Carbon Monoxide, Volatile Hydrocarbon Vapors
Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure:
Skin: liquid can cause free burns and irritation.
Eyes: liquid can cause free burns and irritation.
Inhalation: yes
Ingestion: not likely
Medical conditions generally aggravated by exposure: none known
Carcinogenic: No.
Emergency and First Aid Procedures:
Skin: Warm affected area gradually. Flush with plenty of water. Get medical attention.
Eyes: Flush eyes with water for at least 15 minutes. Get medical attention immediately.
Inhalation: Remove to fresh air. Apply artificial respiration if necessary. Get medical attention.
Ingestion: Do not induce vomiting. Get medical attention immediately

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: N/A
Handling and Storing: Store in cool place away from fire or flame.
Other Precautions: Do not smoke near or use near fire of flame.

SECTION VIII CONTROL MEASURES

Respiratory Protection: none required for normal use
Ventilation: Well ventilated area
Protective Gloves: none required for normal use.
Eye Protection: safety glasses
Other Protective Clothing or Equipment: none required for normal use.

PRODUCT NAME: STAINLESS STEEL CLEANER

PRODUCT # 150

SECTION I

HB Franchise.
P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106

HEALTH: 1
FLAMMABILITY: 1
REACTIVITY: 0

Least=0
Slight=1
Moderate=2
High=3
Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel: %:
Water	7732-18-5 40-70	
White Mineral oil (Petroleum)	8042-47-5 10-30	
Naphthol Spirits	64742-48-9 7-13	
Sorbitan Oleate	1338-43-8 3-7	
Sorbitol	50-70-4 1-5	

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212 F Appearance and Odor: Thick, white emulsion, mild citrus.
Vapor Pressure: NA Specific Gravity: 1
Vapor Density: NA Melting Point: NA
Solubility in Water: NA Evaporation Rate: NA

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: 208 F
Extinguishing Media: Class A extinguishing agent.
Special Fire Fighting Procedures: Non-Flammable: Ordinary combustible material
Explosion Hazards: NA

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: none
Hazardous Decomposition or Byproducts: Carbon Monoxide, Carbon Dioxide
Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure:
Skin: Mild skin irritation: redness, swelling, and itching.
Eyes: Mild eye irritation: localized redness, pain, and tearing.
Inhalation: Irritation: cough, sneezing, nasal discharge, headaches, hoarseness, and nose and throat pain.
Ingestion: abdominal pain, nausea, diarrhea and vomiting.
Medical conditions generally aggravated by exposure: none known
Carcinogenic: No.
Emergency and First Aid Procedures:
Skin: Wash area with soap and water. If signs persist, get medical attention..
Eyes: Flush eyes with large amounts of water. Get medical attention. Eye Protection: safety glasses
Inhalation: If sign/symptoms develop, move to fresh air. If signs persist seek medical attention.
Ingestion: Do not induce vomiting unless instructed to do so by medical personnel. Give victim 2 glasses of water. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Call 1-800-364-3577 for information of handling spills.
Handling and Storing: Store in normal warehouse conditions, avoid contact with product.
Other Precautions: Do not eat, drink or smoke near product.

PRODUCT NAME: FILTRATION-LINE CLEANER

PRODUCT #155

HB Franchise.
P.O. Box 607

HEALTH: 1

SECTION I

Least=0
Slight=1

Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106

FLAMMABILITY:0
REACTIVITY: 0

Moderate=2
High=3
Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	TLV
DeLimonene	(CAS# 5989-27-5	N/E	N/A

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point:-340-348 F	Appearance and Odor: Citrus Orange Scent
Vapor Pressure: N/E	Specific Gravity: 1.03 g/ml
Vapor Density :N/E	Melting Point:
Solubility in Water Dispersible	RTU ph: 9.5 - 9.9

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: 200 F
Extinguishing Media: Use Foam, CO2, dry chemical, water fog.
Special Fire Fighting Procedures: Keep cool using water spray. Wear self-contained breathing apparatus and full protective clothing.
Explosion Hazards: Hazardous combustion products may include and are not limited to carbon dioxide monoxide.

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: none
Hazardous Decomposition or Byproducts: Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids, and other unidentified thermal decomposition products from this product or its packaging.
Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD DATA

Health Hazards: none
Routes of entry, Signs and symptoms of exposure:
Skin: May cause slight temporary irritation.
Eyes :May cause slight temporary eye irritation; injury to eye tissue unlikely.
Inhalation: May cause slight temporary irritation.
Ingestion: Small amounts swallowed, incidental to normal handling operations, are not likely to cause injury.
Medical conditions generally aggravated by exposure: none known
Carcinogenic: No.
Emergency and First Aid Procedures:
Skin: Wash with soap and water.
Eyes: Flush eyes with water for at least 15 minutes. Get medical attention immediately.
Inhalation: Remove to fresh air.
Ingestion: Do not induce vomiting unless directed to do so by medical personnel. If injured party is conscious, give two glasses of water.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: N/A
Handling and Storing: Store out of reach of children; keep container closed Store in cool place well-ventilated place.
Other Precautions: Avoid contact with skin and eyes. Wash hands thoroughly after handling.

SECTION VIII CONTROL MEASURES

Respiratory Protection: none required for normal use
Ventilation: Well ventilated area
Protective Gloves: required for normal use.
Eye Protection: safety glasses
Other Protective Clothing or Equipment: none required for normal use

PRODUCT NAME: Stripper Booster

PRODUCT #158

SECTION I

HB Franchise.

Least=0

P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106

HEALTH: 2
FLAMMABILITY: 2
REACTIVITY: 0
Emergency: 1-800-359-2095

Slight=1
Moderate=2
High=3
Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Glycol Ether EB	111-76-2		100

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 176	Appearance and Odor: Thin, colorless liquid / solvent odor.
Vapor Pressure: No Data	Specific Gravity: .86
Vapor Density: No Data	Melting Point: N/A
Solubility in Water: Complete	PH NA

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: 143 D.
Extinguishing Media: water spray, carbon dioxide, drychemical.
Special Fire Fighting Procedures: Wear self contained breathing apparatus & full body protection
Explosion Hazards: NA

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: None
Hazardous Decomposition or Byproducts: None.
Hazardous Polymerization: Will not occur.
Conditions to Avoid: Temperature Extremes

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure: Eyes, Skin, Inhalation, Ingestion.
Skin: Mild irritant.
Eyes: **Cause burns to eyes.**
Inhalation: May cause irritation.
Ingestion: **May be harmful if ingested.**
Medical conditions generally aggravated by exposure: None known.
Carcinogenic: none.
Emergency and First Aid Procedures:
Skin: Flush with soap water for 15 minutes Get medical attention.
Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.
Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.
Ingestion: If large quantities were swallowed. **DO NOT INDUCE VOMITING** Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Absorb with chemical absorbent material and sweep up for disposal or contain and collect for use Prevent spill.
Handling and Storing: Keep away from fire and flame. Keep from freezing.
Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally required.
Ventilation: Local Exhaust, adequate
Protective Gloves: Rubber or neoprene.
Eye Protection: Chemical goggles.
Other Protective Clothing or Equipment: Water/solvent proof boots.
Hygienic Work Practices: Avoid breathing vapors. Always wash hands after using any chemical.

PRODUCT NAME: FINAL SCRUB

PRODUCT #159

SECTION I

HB Franchise.

Least=0

P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106

HEALTH: 1
FLAMMABILITY: 0
REACTIVITY: 0
Emergency: 1-800-359-2095

Slight=1
Moderate=2
High=3
Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Nonoxynol	9016-45-9		8.0
Quaternary ammonium chloride	8001-54-5		2.0
Sodium Metasilicate	6834-92-0		1.0

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212	Appearance and Odor: Thin, yellow liquid / sassafras odor.
Vapor Pressure: No Data	Specific Gravity: 1.1
Vapor Density: No Data	Melting Point: N/A
Solubility in Water: Complete	PH (1% solution) 11.5 - 12.5

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: No Flash Point
Extinguishing Media: NA
Special Fire Fighting Procedures: Wear self contained breathing apparatus & full body protection
Explosion Hazards: NA

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: None
Hazardous Decomposition or Byproducts: None
Hazardous Polymerization: Will not occur.
Conditions to Avoid: Heating above 230oF

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure: Eyes, Skin, Inhalation, Ingestion.
Skin: Mild irritant.
Eyes: **Cause burns to eyes.**
Inhalation: May cause irritation.
Ingestion: **May be harmful or fatal if ingested.**
Medical conditions generally aggravated by exposure: None known.
Carcinogenic: none.
Emergency and First Aid Procedures:
Skin: Flush with soap water for 15 minutes Get medical attention.
Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.
Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.
Ingestion: If large quantities were swallowed. **DO NOT INDUCE VOMITING** Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Absorb with chemical absorbent material and sweep up for disposal or contain and collect for use Prevent spill.
Handling and Storing: Keep away from fire and flame. Keep from freezing.
Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally required.
Ventilation: Local Exhaust, adequate
Protective Gloves: Rubber or neoprene.
Eye Protection: Chemical goggles.
Other Protective Clothing or Equipment: Water/solvent proof boots.
Hygienic Work Practices: Avoid breathing vapors. Always wash hands after using any chemical.

PRODUCT NAME: HARD SURFACE ACID CLEANER PRODUCT #160

SECTION I

HB Franchise.
P.O. Box 607

HEALTH: 2

Least=0
Slight=1

Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106

FLAMMABILITY: 0
REACTIVITY: 0

Moderate=2
High=3
Extreme=4

Emergency: 1-800-359-2095

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Urea Monohydrochloride	506-89-8		>30%
Glycol Ether DPNB	29911-28-2		<5%

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212	Appearance and Odor: Amber liquid with slight acrid odor.
Vapor Pressure: No Data	Specific Gravity: 1.1
Vapor Density: No Data	Melting Point: N/A
Solubility in Water: Complete	PH (1% solution) 1.0

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: No Flash Point
Extinguishing Media: water spray, carbon dioxide, drychemical.
Special Fire Fighting Procedures: Wear self contained breathing apparatus & full body protection
Explosion Hazards: Temperatures above 140oF acid action on most metals may release hydrogen, a highly flammable and explosive gas

SECTION V REACTIVITY DATA

Stability: Stable up to 230oF
Incompatibility: Incompatible with oxidizing agents. May be extremely hazardous in contact with chlorates or nitrates. Contact with hypochlorites will liberate toxic gases. Contact with ammonia will generate heat. .
Hazardous Decomposition or Byproducts: Thermal decomposition may yield oxides of carbon, nitrogen and chlorine.
Hazardous Polymerization: Will not occur.
Conditions to Avoid: Heating above 230oF results in exothermic decomposition with rapid release of carbon dioxide gas.

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure: Eyes, Skin, Inhalation, Ingestion.
Skin: Mild irritant.
Eyes: **Cause burns to eyes.**
Inhalation: May cause irritation.
Ingestion: **May be harmful or fatal if ingested.**
Medical conditions generally aggravated by exposure: None known.
Carcinogenic: none.
Emergency and First Aid Procedures:
Skin: Flush with soap water for 15 minutes Get medical attention.
Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.
Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.
Ingestion: If large quantities were swallowed. **DO NOT INDUCE VOMITING** Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Absorb with chemical absorbent material and sweep up for disposal or contain and collect for use Prevent spill.
Handling and Storing: Keep away from fire and flame. Keep from freezing.
Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally required.
Ventilation: Local Exhaust, adequate
Protective Gloves: Rubber or neoprene.
Eye Protection: Chemical goggles.
Other Protective Clothing or Equipment: Water/solvent proof boots.
Hygienic Work Practices: Avoid breathing vapors. Always wash hands after using any chemical.

PRODUCT NAME: HARD SURFACE CLEANER

PRODUCT #161

SECTION I

HB Franchise.

Least=0

P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106

HEALTH: 1
FLAMMABILITY: 0
REACTIVITY: 0
Emergency: 1-800-359-2095

Slight=1
Moderate=2
High=3
Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Butoxy Ethanol	111-76-2	2Mg/M	2Mg/m
Sodium Hydroxide	1310-73-2	50 ppm	
Glycol Ether	N/A		

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: No Data	Appearance and Odor: Yellow liquid with slight citrus odor.
Vapor Pressure: No Data	Specific Gravity: 1.015
Vapor Density: No Data	Melting Point: N/A
Solubility in Water: Complete	Evaporation Rate: No Data

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: No Flash Point
Extinguishing Media: NA Use media suitable for surrounding fire.
Special Fire Fighting Procedures: N/A
Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: N/A.
Hazardous Decomposition or Byproducts: Oxides of carbon and phosphorus.
Hazardous Polymerization: Will not occur.
Conditions to Avoid: Extreme Heat

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure: Eyes, Skin, Inhalation, Ingestion.
Skin: Mild irritant.
Eyes: Possible irritant.
Inhalation: May cause irritation.
Ingestion: May cause irritation. Get medical Attention.
Medical conditions generally aggravated by exposure: None known.
Carcinogenic: none.
Emergency and First Aid Procedures:
Skin: Flush with water.
Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.
Inhalation: Remove to fresh air. If breathing does not return to normal, get medical attention.
Ingestion: If large quantities were swallowed. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute with water and flush to sanitary sewer.
Handling and Storing: Keep away from fire and flame. Keep from freezing.
Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally required.
Ventilation: Local Exhaust, adequate
Protective Gloves: Rubber or neoprene.
Eye Protection: Chemical goggles.
Other Protective Clothing or Equipment: Water/solvent proof boots.
Hygienic Work Practices: Avoid breathing vapors. Always wash hands after using any chemical.

PRODUCT NAME: WOOD FLOOR CLEANER

PRODUCT #162

SECTION I

HB Franchise.

Least=0

P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106

HEALTH: 2
FLAMMABILITY: 2
REACTIVITY: 0
Emergency: 1-800-359-2095

Slight=1
Moderate=2
High=3
Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Methoxy-2-propanol	107-98-2		5-10
Isopropanol	67-63-0		5-10

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212 F.	Appearance and Odor: Light blue-green / Ether-like.
Vapor Pressure: NA	Specific Gravity: 1.02
Vapor Density: 0.966	PH. 6- 9
Solubility in Water: Complete	Evaporation Rate: (water=1):<1

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: Closed cup: 38.333 C. 101 F.
Extinguishing Media: Use dry, CO2 water spray (fog) or foam.
Special Fire Fighting Procedures: Promptly isolate scene
Explosion Hazards: No action shall be taken involving any personal risk.

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: with oxidizing materials.
Hazardous Decomposition or By products: Will not occur.
Hazardous Polymerization: None.
Conditions to Avoid: None

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure: Eyes, Skin, Inhalation, Ingestion.
Skin: Mild irritant.
Eyes: Possible severely irritant. Risk of serious damage to eyes.
Inhalation: No known significant effects.
Ingestion: May cause irritation. Get medical Attention.
Medical conditions generally aggravated by exposure: None known.
Carcinogenic: none.
Emergency and First Aid Procedures:
Skin: Flush with water.
Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.
Inhalation: N/A.
Ingestion: Dilute with 2 glasses of water. Get medical attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Mop up or otherwise absorb and hold disposal.
Handling and Storing: Keep away from fire and flame. Keep from freezing.
Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally required.
Ventilation: Local Exhaust, adequate
Protective Gloves: Rubber or neoprene.
Eye Protection: Chemical goggles.
Other Protective Clothing or Equipment: Water/solvent proof boots.

PRODUCT NAME: GROUT TREATOR

PRODUCT #163

SECTION I

HB FRANCHISE.		Least=0
P.O. Box 607	HEALTH: 0	Slight=1
Rexburg, Id 83440	FLAMMABILITY: 1	Moderate=2
Date: 2/26/2019	REACTIVITY: 0	High=3
Phone: (208) 359-1106		Extreme=4
Emergency: 1-800-359-2095		

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Isopropyl alcohol	67-63-0	986 mg/m3	<10%
Butylglycol	111-76-2	100 mg/m3	<10%
1-metoxi-2-propanol	107-98-2	360 mg/m3	<10%

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >101 C
Appearance and Odor: Clear solvent with ammonia odor
Vapor Pressure: ND Specific Gravity: .995
Vapor Density: ND Melting Point: N/A
Solubility in Water: Complete Evaporation Rate: N/A

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A
Extinguishing Media: Carbon dioxide chemical foam.
Special Fire Fighting Procedures: Volatile ingredients can burn. Eliminate all firing points.
Self contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals.
Explosion Hazards: Combustion can produce toxic gasses.

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: None known
Decomposition or Byproducts: None Known
Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure:
Skin: May Slight irritant
Eyes: Irritant.
Inhalation: Avoid breathing vapors Respiratory Protection: As needed
Ingestion: Get medical attention immediately
Medical conditions generally aggravated by exposure:
Carcinogenic: None.
Emergency and First Aid Procedures:
Skin: Flush with clean water. Protective Gloves: Rubber.
Eyes: For eye contact immediately flush with clear running water for 15 minutes.
Get medical attention. Eye Protection: Safety glasses.
Inhalation: Remove to fresh air.
Ingestion: Do not induce vomiting. Immediately drink large quantities of water.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Dilute Absorb with inert material.
Handling and Storing: Do not store above 100 F

PRODUCT NAME: DE-WAXER

PRODUCT # 164

SECTION I

HB FRANCHISE.		Least=0
P.O. Box 607	HEALTH: 3	Slight=1
Rexburg, Id 83440	FLAMMABILITY: 0	Moderate=2
Date 2/26/2019	REACTIVITY: 0	High=3
Phone: (208) 359-1106		Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
2-Butoxyethanol	111-76-2	50 (ppm)	<21
Benzyl Alcohol	100-51-6	6 (ppm)	<10
Monoethanolamine	141-43-5	6 (ppm)	5-10
Sodium Xylene Sulfonate	1300-72-7	NA	<5
Perfume Oil	100-52-7	NA	<1
Nonionic Surfactant	9016-45-9	NA	0-5
Mixed Amphocarboxylates	NA	NA	0-5
Tetrasodium salt of ethylenediaminetetraacetic acid	64-02-8	NA	<1
Dye	NA	NA	<1
Water	7732-18-5	NA	55-60%

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >214 F	Appearance and Odor: Pale green Banana like
Vapor Pressure: >20mm Hg @ 68 F	Specific Gravity: .993
Vapor Density: >1 (Air=1)	Melting Point: NA
Solubility in Water: Complete	Evaporation Rate: <1 compared to butyl acetate

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: NA
Extinguishing Media: NA
Special Fire Fighting Procedures: None
Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: Strong acids or Oxidizers
Decomposition or Byproducts: None Known
Hazardous Polymerization: Will not occur.

172**SECTION VI HEALTH HAZARD DATA**

Health Hazards:
Routes of entry, Signs and symptoms of exposure:
Skin: Corrosive to skin
Eyes: Corrosive to eyes
Inhalation: Harmful
Ingestion: Harmful if swallowed, irritation to mouth, throat, and stomach
Medical conditions generally aggravated by exposure: Asthma and related respiratory illness may be aggravated by exposure. Severe over exposure can produce lung damage, choking, unconsciousness or death.
Carcinogenic:
Emergency and First Aid Procedures:
Skin: Causes Burns. Remove contaminated clothing. Flush area with water for 15 minutes, seek medical attention.
Eyes: Corrosive to eyes. Immediately flush with water for 15 minutes keeping eyelids open. Seek medical attention.
Inhalation: Remove to fresh air. If breathing does not return to normal, call a Physician.

Ingestion: Corrosive to mouth, throat, and gastrointestinal system. Do Not induce vomiting. Dilute with 2 glasses of water. Seek Medical Attention.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Absorb with inert material and place in appropriate waste container.

Handling and Storing: Not for use of storage in or around home.

Other Precautions: Prevent entry to sewers, basement or confined areas. Neutralize with vinegar or acetic acid or use a basic spill kit.

SECTION VIII CONTROL MEASURES

Respiratory Protection: Use appropriate respirator.

Ventilation: Mechanical

Protective Gloves: Rubber.

Eye Protection: Safety glasses.

Other Protective Clothing or Equipment:

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

PRODUCT NAME: WAX AND SHINE 25
SECTION I

PRODUCT #165

HB FRANCHISE.
P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019

HEALTH: 1
FLAMMABILITY: 0
REACTIVITY: 0

Least=0
Slight=1
Moderate=2
High=3

Phone: (208) 359-1106
Emergency: 1-800-359-2095

Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Water	7732-18-5	NA	>50%
Acrylic Copolymer	NA	NA	45-50%
Polyethylene Wax Emulsion	NA	NA	0-5%
Diethylene Glycol Methyl Ether	111-90-0	25 (ppm)	0-5%
Dipropylene Glycol Methyl Ether	34590-94-8	NA	0-5%
Tributoxyethyl Phosphate	78-51-3	NA	0-5%
Fluorochemicals in water	NA	NA	0-5%
Optical Brightener	NA	NA	0-5%
Zinc Ammonium Carbonate Compound	38714-47-5	NA	0-5%

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >212 F Appearance and Odor: Grayish White Liquid
Vapor Pressure: ND Specific Gravity: 1.03
Vapor Density: >1 (Air=1) Melting Point: 0 F
Solubility in Water: NA Evaporation Rate: <1

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A
Extinguishing Media: Non-flammable substance
Special Fire Fighting Procedures: None
Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: None known
Decomposition or Byproducts: None Known
Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure:
Skin: Skin Destruction or dermatitis
175
Eyes: Irritant.
Inhalation: NA
Ingestion: NA
Medical conditions generally aggravated by exposure:
Carcinogenic:
Emergency and First Aid Procedures:
Skin: Flush with clean water.
Eyes: Rinse immediately with plenty of water.
Inhalation: Remove to fresh air.
Ingestion: Drink several glasses of water or milk. Seek Medical attention immediately.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Absorb with inert material.
Handling and Storing: Avoid contact with skin
Other Precautions: Full suite, boots, and gloves

SECTION VIII CONTROL MEASURES

Respiratory Protection: Avoid breathing concentrated fumes
Ventilation: Normal ventilation

Protective Gloves: Rubber.
Eye Protection: Safety glasses.
Other Protective Clothing or Equipment:

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

SECTION I

HB Franchise.		Least=0
P.O. Box 607	HEALTH: 1	Slight=1
Rexburg, Id 83440	FLAMMABILITY: 2	Moderate=2
Date 2/26/2019	REACTIVITY: 0	High=3
Phone: (208) 359-1106		Extreme=4
Emergency: 1-800-359-2095		

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Mineral Spirits	8052-41-3		60-75
Turpentine	8006-64-2		10-25

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point:-300 c (149) F	Appearance and Odor: Amber- Turpentine
Vapor Pressure: ND	Specific Gravity: 1.0
Vapor Density: ND	Melting Point:
Solubility in Water: ND	Evaporation Rate:

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: Extremely Flammable 108 F
Extinguishing Media: Dry chemical (B-C), H2O
Special Fire Fighting Procedures: Keep cool using water spray. Protect personnel from bursting containers
Explosion Hazards: Hazardous combustion Products may include and are not limited to carbon dioxide monoxide.

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: none
Hazardous Decomposition or Byproducts: Carbon Monoxide, Volatile Hydrocarbon Vapors
Hazardous Polymerization: Will not occur

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure:
Skin: liquid can cause free burns and irritation.
Eyes: liquid can cause free burns and irritation.
Inhalation: yes
Ingestion: not likely
Medical conditions generally aggravated by exposure: none known
Carcinogenic: No.
Emergency and First Aid Procedures:
Skin: Warm affected area gradually. Flush with plenty of water. Get medical attention.
Eyes: Flush eyes with water for at least 15 minutes. Get medical attention immediately.
Inhalation: Remove to fresh air. Apply artificial respiration if necessary. Get medical attention.
Ingestion: Do not induce vomiting. Get medical attention immediately

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: N/A
Handling and Storing: Store in cool place away from fire or flame.
Other Precautions: Do not smoke near or use near fire of flame.

SECTION VIII CONTROL MEASURES

Respiratory Protection: none required for normal use
Ventilation: Well ventilated area
Protective Gloves: none required for normal use.
Eye Protection: safety glasses
Other Protective Clothing or Equipment: none required for normal use.

PRODUCT NAME: DE-COLOR

PRODUCT #167

S E C T I O N I

HB Franchise.
P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106
Emergency: 1-800-359-2095

HEALTH: 3
FLAMMABILITY: 2
REACTIVITY: 2

Least=0
Slight=1
Moderate=2
High=3
Extreme=4

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:
Water 50%		
Trade Secret 50%		

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: ~212 F	Appearance and Odor: Green Alcohol
Vapor Pressure: NA	Specific Gravity: 1
Vapor Density: 1	Melting Point: N/A
Solubility in Water: Complete	Evaporation Rate: N/A

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Heat, such as from a fire can cause release of ammonia fumes which in a fire may be flammable or explosive.

S E C T I O N V REACTIVITY DATA

Stability: Stable
Incompatibility: Incompatible with strong oxidizing agents.
Hazardous Decomposition or Byproducts: Hazardous decomposition products including carbon dioxide, carbon monoxide, and hydrocarbons.

Wear chemical-resistant gloves and other clothing as required to minimize contact.

S E C T I O N VI HEALTH HAZARD DATA

Health Hazards: Aspiration into lungs may cause bronchopneumonia or pulmonary edema.
Routes of entry, Signs and symptoms of exposure:
Skin: Irritation with discomfort or rash; allergic skin rashes.
Eyes: Irritation, burning sensation, redness, itching or watering of eyes.
Inhalation: Inhaling vapors may cause irritation to nose, throat and lungs.
Ingestion: Give two glasses of water Call physician
Medical conditions generally aggravated by exposure: N/A
Carcinogenic: Not listed.
Emergency and First Aid Procedures:
Skin: Wash the product off the skin with soap and water. Wash contaminated clothing before reuse.
Eyes: Rinse eye with water for 15 minutes, call a physician
Inhalation: Move to fresh air. If breathing problems develop, see a physician
Ingestion: Call a physician

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Soak up with sawdust, sand, oil dry or other absorbent material. Shovel or Sweep up.

Handling and Storing: Store in a location away from children, food items and potable water.

Other Precautions:

S E C T I O N VIII CONTROL MEASURES

Respiratory Protection: N/A

Ventilation: Use only with adequate ventilation. Keep Container Tightly Closed. Vent dryer fumes outside work area. Do not aerosolize. In spray applications, use airless type pressure spray equipment at less than 60 psi and exhaust ducts, drip pans, or other design features to minimize worker exposure to mists and overspray. Keep away from open flames and heated surfaces above 200 C (392 F)

Protective Gloves: Recommended. Disposable nitrile exam gloves are suitable for preventing prolonged contact with the skin.

Eye Protection: Safety glasses with side shield.

Other Protective Clothing or Equipment: Where there is potential for skin contact have available and wear as appropriate, impervious gloves, apron, pants, and jacket.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

PRODUCT NAME: DYE-SET

PRODUCT #168

HB Franchise.
P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106
Emergency: 1-800-359-2095

S E C T I O N I

HEALTH: 2	Least=0
FLAMMABILITY: 0	Slight=1
REACTIVITY: 1	Moderate=2
	High=3
	Extreme=4

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:
Water 50%		
Trade Secret 50%		

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: ~212 F	Appearance and Odor: Clear Vineger
Vapor Pressure: NA	Specific Gravity: 1
Vapor Density: 1	Melting Point: N/A
Solubility in Water: Complete	Evaporation Rate: N/A

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Heat, such as from a fire can cause release of ammonia fumes which in a fire may be flammable or explosive.

S E C T I O N V REACTIVITY DATA

Stability: Stable
Incompatibility: Incompatible with strong oxidizing agents.
Hazardous Decomposition or Byproducts: Hazardous decomposition products including carbon dioxide, carbon monoxide, and hydrocarbons.

Wear chemical-resistant gloves and other clothing as required to minimize contact.

S E C T I O N VI HEALTH HAZARD DATA

Health Hazards: Aspiration into lungs may cause bronchopneumonia or pulmonary edema.
Routes of entry, Signs and symptoms of exposure:
Skin: Irritation with discomfort or rash; allergic skin rashes.
Eyes: Irritation, burning sensation, redness, itching or watering of eyes.
Inhalation: Inhaling vapors may cause irritation to nose, throat and lungs.
Ingestion: Give two glasses of water Call physician

Medical conditions generally aggravated by exposure: N/A
Carcinogenic: Not listed.
Emergency and First Aid Procedures:
Skin: Wash the product off the skin with soap and water. Wash contaminated clothing before reuse.
Eyes: Rinse eye with water for 15 minutes, call a physician
Inhalation: Move to fresh air. If breathing problems develop, see a physician
Ingestion: Call a physician

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Soak up with sawdust, sand, oil dry or other absorbent material. Shovel or Sweep up.

Handling and Storing: Store in a location away from children, food items and potable water.
Other Precautions:

S E C T I O N V I I I C O N T R O L M E A S U R E S

Respiratory Protection: N/A

Ventilation: Use only with adequate ventilation. Keep Container Tightly Closed. Vent dryer fumes outside work area. Do not aerosolize. In spray applications, use airless type pressure spray equipment at less than 60 psi and exhaust ducts, drip pans, or other design features to minimize worker exposure to mists and overspray. Keep away from open flames and heated surfaces above 200 C (392 F)

Protective Gloves: Recommended. Disposable nitrile exam gloves are suitable for preventing prolonged contact with the skin.

Eye Protection: Safety glasses with side shield.

Other Protective Clothing or Equipment: Where there is potential for skin contact have available and wear as appropriate, impervious gloves, apron, pants, and jacket.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

S E C T I O N I

HB Franchise.
P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106
Emergency: 1-800-359-2095

HEALTH: 0
FLAMMABILITY: 0
REACTIVITY: 0

Least=0
Slight=1
Moderate=2
High=3
Extreme=4

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:
Water 50%		
Trade Secret 50%		

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: ~212 F	Appearance and Odor: Clear Oderless
Vapor Pressure: NA	Specific Gravity: 1
Vapor Density: 1	Melting Point: N/A
Solubility in Water: Complete	Evaporation Rate: N/A

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Heat, such as from a fire can cause release of ammonia fumes which in a fire may be flammable or explosive.

S E C T I O N V REACTIVITY DATA

Stability: Stable
Incompatibility: Incompatible with strong oxidizing agents.
Hazardous Decomposition or Byproducts: Hazardous decomposition products including carbon dioxide, carbon monoxide, and hydrocarbons.

Wear chemical-resistant gloves and other clothing as required to minimize contact.

S E C T I O N VI HEALTH HAZARD DATA

Health Hazards: Aspiration into lungs may cause bronchopneumonia or pulmonary edema.
Routes of entry, Signs and symptoms of exposure:
Skin: Irritation with discomfort or rash; allergic skin rashes.
Eyes: Irritation, burning sensation, redness, itching or watering of eyes.
Inhalation: Inhaling vapors may cause irritation to nose, throat and lungs.
Ingestion: Give two glasses of water Call physician
Medical conditions generally aggravated by exposure: N/A
Carcinogenic: Not listed.
Emergency and First Aid Procedures:
Skin: Wash the product off the skin with soap and water. Wash contaminated clothing before reuse.
Eyes: Rinse eye with water for 15 minutes, call a physician
Inhalation: Move to fresh air. If breathing problems develop, see a physician
Ingestion: Call a physician

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Soak up with sawdust, sand, oil dry or other absorbent material. Shovel or Sweep up.

Handling and Storing: Store in a location away from children, food items and potable water.

Other Precautions:

S E C T I O N V I I I C O N T R O L M E A S U R E S

Respiratory Protection: N/A

Ventilation: Use only with adequate ventilation. Keep Container Tightly Closed. Vent dryer fumes outside work area. Do not aerosolize. In spray applications, use airless type pressure spray equipment at less than 60 psi and exhaust ducts, drip pans, or other design features to minimize worker exposure to mists and overspray. Keep away from open flames and heated surfaces above 200 deg C (392 deg F)

Protective Gloves: Recommended. Disposable nitrile exam gloves are suitable for preventing prolonged contact with the skin.

Eye Protection: Safety glasses with side shield.

Other Protective Clothing or Equipment: Where there is potential for skin contact have available and wear as appropriate, impervious gloves, apron, pants, and jacket.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

PRODUCT NAME: RED DYE

PRODUCT #170

S E C T I O N I

HB Franchise.

Least=0

P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106
Emergency: 1-800-359-2095

HEALTH: 0
FLAMMABILITY: 0
REACTIVITY: 0
Slight=1
Moderate=2
High=3
Extreme=4

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:		Cas#:	Osha/Pel:
Water	20%		
Trade Secret	80%		

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: ~212 F	Appearance and Odor: Red
Vapor Pressure: NA	Specific Gravity: 1
Vapor Density: 1	Melting Point: N/A
Solubility in Water: Complete	Evaporation Rate: N/A

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Heat, such as from a fire can cause release of ammonia fumes which in a fire may be flammable or explosive.

S E C T I O N V REACTIVITY DATA

Stability: Stable
Incompatibility: Incompatible with strong oxidizing agents.
Hazardous Decomposition or Byproducts: Hazardous decomposition products including carbon dioxide, carbon monoxide, and hydrocarbons.

Wear chemical-resistant gloves and other clothing as required to minimize contact.

S E C T I O N VI HEALTH HAZARD DATA

Health Hazards: Aspiration into lungs may cause bronchopneumonia or pulmonary edema.
Routes of entry, Signs and symptoms of exposure:
Skin: Irritation with discomfort or rash; allergic skin rashes.
Eyes: Irritation, burning sensation, redness, itching or watering of eyes.
Inhalation: Inhaling vapors may cause irritation to nose, throat and lungs.
Ingestion: Give two glasses of water Call physician
Medical conditions generally aggravated by exposure: N/A
Carcinogenic: Not listed.
Emergency and First Aid Procedures:
Skin: Wash the product off the skin with soap and water. Wash contaminated clothing before reuse.
Eyes: Rinse eye with water for 15 minutes, call a physician
Inhalation: Move to fresh air. If breathing problems develop, see a physician
Ingestion: Call a physician

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Soak up with sawdust, sand, oil dry or other absorbent material. Shovel or Sweep up.

Handling and Storing: Store in a location away from children, food items and potable water.

Other Precautions:

S E C T I O N VIII CONTROL MEASURES

Respiratory Protection: N/A

Ventilation: Use only with adequate ventilation. Keep Container Tightly Closed. Vent dryer fumes outside work area. Do not aerosolize. In spray applications, use airless type pressure spray equipment at less than 60 psi and exhaust ducts, drip pans, or other design features to minimize worker exposure to mists and overspray. Keep away from open flames and heated surfaces above 200 deg C (392 deg F)

Protective Gloves: Recommended. Disposable nitrile exam gloves are suitable for preventing prolonged contact with the skin.

Eye Protection: Safety glasses with side shield.

Other Protective Clothing or Equipment: Where there is potential for skin contact have available and wear as appropriate, impervious gloves, apron, pants, and jacket.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

PRODUCT NAME: YELLOW DYE

PRODUCT #171

S E C T I O N I

HB Franchise.
P.O. Box 607
Rexburg, Id 83440

HEALTH: 0
FLAMMABILITY: 0

Least=0
Slight=1
Moderate=2

Date: 2/26/2019
Phone: (208) 359-1106
Emergency: 1-800-359-2095

REACTIVITY: 0

High=3
Extreme=4

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:		Cas#:	Osha/Pel:
Water	20%		
Trade Secret	80%		

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: ~212 F	Appearance and Odor: Yellow
Vapor Pressure: NA	Specific Gravity: 1
Vapor Density: 1	Melting Point: N/A
Solubility in Water: Complete	Evaporation Rate: N/A

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Heat, such as from a fire can cause release of ammonia fumes which in a fire may be flammable or explosive.

S E C T I O N V REACTIVITY DATA

Stability: Stable
Incompatibility: Incompatible with strong oxidizing agents.
Hazardous Decomposition or Byproducts: Hazardous decomposition products including carbon dioxide, carbon monoxide, and hydrocarbons.
Wear chemical-resistant gloves and other clothing as required to minimize contact.

S E C T I O N VI HEALTH HAZARD DATA

Health Hazards: Aspiration into lungs may cause bronchopneumonia or pulmonary edema.
Routes of entry, Signs and symptoms of exposure:
Skin: Irritation with discomfort or rash; allergic skin rashes.
Eyes: Irritation, burning sensation, redness, itching or watering of eyes.
Inhalation: Inhaling vapors may cause irritation to nose, throat and lungs.
Ingestion: Give two glasses of water Call physician
Medical conditions generally aggravated by exposure: N/A
Carcinogenic: Not listed.
Emergency and First Aid Procedures:
Skin: Wash the product off the skin with soap and water. Wash contaminated clothing before reuse.
Eyes: Rinse eye with water for 15 minutes, call a physician
Inhalation: Move to fresh air. If breathing problems develop, see a physician
Ingestion: Call a physician

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Soak up with sawdust, sand, oil dry or other absorbent material. Shovel or Sweep up.

Handling and Storing: Store in a location away from children, food items and potable water.
Other Precautions:

S E C T I O N VIII CONTROL MEASURES

Respiratory Protection: N/A

Ventilation: Use only with adequate ventilation. Keep Container Tightly Closed. Vent dryer fumes outside work area. Do not aerosolize. In spray applications, use airless type pressure spray equipment at less than 60 psi and exhaust ducts, drip pans, or other design features to minimize worker exposure to mists and overspray. Keep away from open flames and heated surfaces above 200 deg C (392 deg F)

Protective Gloves: Recommended. Disposable nitrile exam gloves are suitable for preventing prolonged contact with the skin.

Eye Protection: Safety glasses with side shield.

Other Protective Clothing or Equipment: Where there is potential for skin contact have available and wear as appropriate, impervious gloves, apron, pants, and jacket.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

PRODUCT NAME: BLUE DYE

PRODUCT #172

S E C T I O N I

HB Franchise.
P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106

HEALTH: 0
FLAMMABILITY: 0
REACTIVITY: 0

Least=0
Slight=1
Moderate=2
High=3
Extreme=4

Emergency: 1-800-359-2095

S E C T I O N II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:		Cas#:	Osha/Pel:
Water	20%		
Trade Secret	80%		

S E C T I O N III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: ~212 F	Appearance and Odor: Blue
Vapor Pressure: NA	Specific Gravity: 1
Vapor Density: 1	Melting Point: N/A
Solubility in Water: Complete	Evaporation Rate: N/A

S E C T I O N IV FIRE AND EXPLOSION HAZARD DATA

Heat, such as from a fire can cause release of ammonia fumes which in a fire may be flammable or explosive.

S E C T I O N V REACTIVITY DATA

Stability: Stable
Incompatibility: Incompatible with strong oxidizing agents.
Hazardous Decomposition or Byproducts: Hazardous decomposition products including carbon dioxide, carbon monoxide, and hydrocarbons.

Wear chemical-resistant gloves and other clothing as required to minimize contact.

S E C T I O N VI HEALTH HAZARD DATA

Health Hazards: Aspiration into lungs may cause bronchopneumonia or pulmonary edema.
Routes of entry, Signs and symptoms of exposure:
Skin: Irritation with discomfort or rash; allergic skin rashes.
Eyes: Irritation, burning sensation, redness, itching or watering of eyes.
Inhalation: Inhaling vapors may cause irritation to nose, throat and lungs.
Ingestion: Give two glasses of water Call physician
Medical conditions generally aggravated by exposure: N/A
Carcinogenic: Not listed.
Emergency and First Aid Procedures:
Skin: Wash the product off the skin with soap and water. Wash contaminated clothing before reuse.
Eyes: Rinse eye with water for 15 minutes, call a physician
Inhalation: Move to fresh air. If breathing problems develop, see a physician
Ingestion: Call a physician

S E C T I O N VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Soak up with sawdust, sand, oil dry or other absorbent material. Shovel or Sweep up.

Handling and Storing: Store in a location away from children, food items and potable water.
Other Precautions:

S E C T I O N VIII CONTROL MEASURES

Respiratory Protection: N/A
Ventilation: Use only with adequate ventilation. Keep Container Tightly Closed. Vent dryer fumes outside work area. Do not

aerosolize. In spray applications, use airless type pressure spray equipment at less than 60 psi and exhaust ducts, drip pans, or other design features to minimize worker exposure to mists and overspray. Keep away from open flames and heated surfaces above 200 deg C (392 deg F)

Protective Gloves: Recommended. Disposable nitrile exam gloves are suitable for preventing prolonged contact with the skin.

Eye Protection: Safety glasses with side shield.

Other Protective Clothing or Equipment: Where there is potential for skin contact have available and wear as appropriate, impervious gloves, apron, pants, and jacket.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.

PRODUCT NAME: STONE ENHANCER & SEALER

PRODUCT # 173

HB Franchise.
P.O. Box 607
Rexburg, Id 83440
Date 2/26/2019
Phone: (208) 359-1106

HEALTH: 2
FLAMMABILITY: 3
REACTIVITY: 1

SECTION I
Least=0
Slight=1
Moderate=2
High=3
Extreme=4

Emergency: 1-800-359-2095

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Triethoxyoctylsilane	2943-75-1		7-13
Hexyltrimethoxysilane	3069-19-0		3-7
Titanium tetrabutanolate	5593-70-4		1-5
Methyl alcohol	67-56-1		1-5
N-Butyl alcohol	71-36-3		0.1-1

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point:-275 c 527) F	Appearance and Odor: Yellow Low odor
Vapor Pressure: ND	Specific Gravity: 1.1
Vapor Density: ND	Melting Point: NA
Solubility in Water: insoluble	Evaporation Rate: NA

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: Extremely Flammable 68 F
Extinguishing Media: Dry chemical (B-C), H2O
Special Fire Fighting Procedures: Use Powder, foam, carbon dioxide Using water spray unsuitable.
Explosion Hazards: Hazardous combustion Products may include and are not limited to carbon oxides monoxide.

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: Acids, Bases, oxidizers.
Hazardous Decomposition or Byproducts: Oxides of Carbon formaldehyde
Hazardous Polymerization: NA

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure:
Skin: May cause irritation.
Eyes: May cause eye irritation.
Inhalation: May cause respiratory tract irritation
Ingestion: Harmful if swallowed
Medical conditions generally aggravated by exposure: Prolong contact may dry skin and eye irritation
Carcinogenic: No.
Emergency and First Aid Procedures:
Skin: Flush with plenty of water. Get medical attention.
Eyes: Flush eyes with water for at least 15 minutes. Get medical attention immediately.
Inhalation: Remove to fresh air. Apply artificial respiration if necessary. Get medical attention.
Ingestion: Do not induce vomiting. Get medical attention immediately

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Soak into absorbent material. Keep out of drains, sewers, ditches and waterways.
Handling and Storing: Store in cool place away from fire or flame.
Other Precautions: Do not eat or smoke near or use near fire of flame.

SECTION VIII CONTROL MEASURES

Respiratory Protection: In case of insufficient ventilation. Wear suitable respiratory equipment
Ventilation: Well ventilated area
Protective Gloves: Wear suitable gloves.
Eye Protection: Wear eye/face protection.
Other Protective Clothing or Equipment: Wear suitable protective clothing.

PRODUCT NAME: MULTI-SURFACE MAINTAINER

PRODUCT #174

SECTION I

HB Franchise.
P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019

HEALTH: 1
FLAMMABILITY: 0
REACTIVITY: 0

Least=0
Slight=1
Moderate=2
High=3

Phone: (208) 359-1106

Emergency: 1-800-359-2095

Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Polyethoxynonphenoxy ethanol	6841254	none	
Isopropanol	67630	400 ppm	

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212 F.	Appearance and Odor: yellow liquid/ lemon scent.
Vapor Pressure:	Specific Gravity: 1.00
Vapor Density: (Air=1):	Melting Point: N/A
Solubility in Water: Complete	Evaporation Rate: (water=1):> 1

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A
Extinguishing Media: N/A.
Special Fire Fighting Procedures: Non Flammable
Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: None.
Hazardous Decomposition or By products: Will not occur.
Hazardous Polymerization: None.
Conditions to Avoid: None

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure: Eyes, Skin, Inhalation, Ingestion.
Skin: Mild irritant.
Eyes: Possible irritant.
Inhalation: N/A.
Ingestion: May cause irritation.
Medical conditions generally aggravated by exposure: None known.
Carcinogenic: none.
Emergency and First Aid Procedures:
Skin: Flush with water.
Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.
Inhalation: N/A.
Ingestion: Dilute.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Mop up or otherwise absorb and hold disposal.
Handling and Storing: Keep away from fire and flame. Keep from freezing.
Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally required.
Ventilation: Local Exhaust, adequate
Protective Gloves: Rubber or neoprene.
Eye Protection: Chemical goggles.
Other Protective Clothing or Equipment: Water/solvent proof boots.

PRODUCT NAME: BCMSS SEALER

PRODUCT # 181

HB Franchise.
P.O. Box 607
Rexburg, Id 83440

HEALTH: 1
FLAMMABILITY: 0

SECTION I
Least=0
Slight=1
Moderate=2

Date 2/26/2019
Phone: (208) 359-1106
Emergency: 1-800-359-2095

REACTIVITY: 0

High=3
Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Benzyl alcohol	100-51-6		.5-1.5
Potassium methylsilanetriolate	31795-24-1		3 - 7

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: -100 c 212) F	Appearance and Odor: Clear , White & Low odor
Vapor Pressure: ND	Specific Gravity: 1
Vapor Density: ND	Melting Point: NA
Solubility in Water: Miscible	Evaporation Rate: NA

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: Extremely Flammable NA
Extinguishing Media: Dry chemical (B-C), H2O
Special Fire Fighting Procedures: Use Powder, foam, carbon dioxide Using water spray.
Explosion Hazards: Hazardous combustion Products may include and are not limited to carbon oxides monoxide.

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: Acids, Bases, oxidizers.
Hazardous Decomposition or Byproducts: Oxides of Carbon formaldehyde
Hazardous Polymerization: NA

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure:
Skin: May cause irritation.
Eyes: May cause eye irritation.
Inhalation: May cause respiratory tract irritation
Ingestion: Harmful if swallowed
Medical conditions generally aggravated by exposure: Prolong contact may dry skin and eye irritation
Carcinogenic: No.
Emergency and First Aid Procedures:
Skin: Flush with plenty of water. Get medical attention.
Eyes: Flush eyes with water for at least 15 minutes. Get medical attention immediately.
Inhalation: Remove to fresh air. Apply artificial respiration if necessary. Get medical attention.
Ingestion: Do not induce vomiting. Get medical attention immediately

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Soak into absorbent material. Keep out of drains, sewers, ditches and waterways.
Handling and Storing: Store in cool place away from fire or flame.
Other Precautions: Do not eat or smoke near or use near fire of flame.

SECTION VIII CONTROL MEASURES

Respiratory Protection: In case of insufficient ventilation. Wear suitable respiratory equipment
Ventilation: Well ventilated area
Protective Gloves: Wear suitable gloves.
Eye Protection: Wear eye/face protection.
Other Protective Clothing or Equipment: Wear suitable protective clothing.

PRODUCT NAME: Over & Under Plus Floor Sealer

PRODUCT #8025

SECTION I

HB FRANCHISE.

P.O. Box 607

HEALTH: 1

Least=0

Slight=1

Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106
Emergency: 1-800-359-2095

FLAMMABILITY: 0
REACTIVITY: 0

Moderate=2
High=3
Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:	Cas#:	Osha/Pel:	%:
Water	7732-18-5	NA	>50%
Diethylene Glycol monoethyl Ether	111-90-0		1-5%
Modified acrylic polymer	Proprietary		
Modified acrylic polymer	Proprietary		
Tributoxyethyl phosphate	78-51-3		

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >NA Appearance and Odor Opaque off-white/ Ammonia
Vapor Pressure: ND Specific Gravity: 1.03
Vapor Density: NA Melting Point: ND
Solubility in Water: Dispersible Evaporation Rate: NA

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A
Extinguishing Media: Non-flammable substance
Special Fire Fighting Procedures: None
Explosion Hazards: None

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: None known
Decomposition or Byproducts: None Known
Hazardous Polymerization: Will not occur.

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure:
Skin: Skin Destruction or dermatitis
175
Eyes: Irritant.
Inhalation: NA
Ingestion: NA
Medical conditions generally aggravated by exposure:
Carcinogenic:
Emergency and First Aid Procedures:
Skin: Flush with clean water.
Eyes: Rinse immediately with plenty of water.
Inhalation: Remove to fresh air.
Ingestion: Drink several glasses of water or milk. Seek Medical attention immediately.

PRODUCT NAME: Window Washing Concentrate HW PRODUCT #8701

SECTION I

HB Franchise.
P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106

HEALTH: 0
FLAMMABILITY: 0
REACTIVITY: 0
Emergency: 1-800-359-2095

Least=0
Slight=1
Moderate=2
High=3
Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: None
Cas#: none
Osha/Pel: none
%:

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 213 F. Appearance and Odor: Blue color / Pleasant Odor
Vapor Pressure: 20 mm hg @25 c Specific Gravity: 1.028
Vapor Density: (NA) Melting Point: N/A
Solubility in Water: Complete Evaporation Rate: (water=1):> 1

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A
Extinguishing Media: N/A.
Special Fire Fighting Procedures: Non Flammable
Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: None.
Hazardous Decomposition Co and Co2
Hazardous Polymerization: None.
Conditions to Avoid: None

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure: Eyes, Skin, Inhalation, Ingestion.
Skin: no
Eyes: Possible irritant.
Inhalation: N/A.
Ingestion: May cause irritation.
Medical conditions generally aggravated by exposure: None known.
Carcinogenic: none.
Emergency and First Aid Procedures:
Skin: Flush with water.
Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.
Inhalation: N/A.
Ingestion: Dilute.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Mop up or otherwise absorb and hold disposal.
Handling and Storing: Keep away from fire and flame. Keep from freezing.
Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally required.
Ventilation: Local Exhaust, adequate
Protective Gloves: Rubber or neoprene.
Eye Protection: Chemical goggles.
Other Protective Clothing or Equipment: NA.

PRODUCT NAME: Window Washing Concentrate

PRODUCT #8702

SECTION I

HB Franchise.		Least=0
P.O. Box 607	HEALTH: 0	Slight=1
Rexburg, Id 83440	FLAMMABILITY: 0	Moderate=2
Date: 2/26/2019	REACTIVITY: 0	High=3
Phone: (208) 359-1106	Emergency: 1-800-359-2095	Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel: %:
None none none

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 213 F. Appearance and Odor: Orange color / Pleasant Odor
Vapor Pressure: 20 mm hg @25 c Specific Gravity: 1.028
Vapor Density: (NA) Melting Point: N/A
Solubility in Water: Complete Evaporation Rate: (water=1):> 1

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A
Extinguishing Media: N/A.
Special Fire Fighting Procedures: Non Flammable
Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: None.
Hazardous Decomposition Co and Co2
Hazardous Polymerization: None.
Conditions to Avoid: None

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure: Eyes, Skin, Inhalation, Ingestion.
Skin: no
Eyes: Possible irritant.
Inhalation: N/A.
Ingestion: May cause irritation.
Medical conditions generally aggravated by exposure: None known.
Carcinogenic: none.
Emergency and First Aid Procedures:
Skin: Flush with water.
Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.
Inhalation: N/A.
Ingestion: Dilute.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Mop up or otherwise absorb and hold disposal.
Handling and Storing: Keep away from fire and flame. Keep from freezing.
Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally required.
Ventilation: Local Exhaust, adequate
Protective Gloves: Rubber or neoprene.
Eye Protection: Chemical goggles.
Other Protective Clothing or Equipment: NA.

PRODUCT NAME: Window Glide

PRODUCT #8703

SECTION I

HB Franchise. Least=0
P.O. Box 607 HEALTH: 0 Slight=1
Rexburg, Id 83440 FLAMMABILITY: 0 Moderate=2
Date: 2/26/2019 REACTIVITY: 0 High=3
Phone: (208) 359-1106 Emergency: 1-800-359-2095 Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components: Cas#: Osha/Pel: %:

None

none

none

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: High .
Vapor Pressure: Low
Vapor Density: (NA
Solubility in Water: Complete

Appearance and Odor: Hazy color / Some Odor
Specific Gravity: 1.03
Melting Point: N/A
Evaporation Rate: Nil

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: 450 F
Extinguishing Media: Foam
Special Fire Fighting Procedures Cool water.
Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: Strong Mineral Acids
Hazardous Decomposition Co and Co2
Hazardous Polymerization: None.
Conditions to Avoid: None

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure: Eyes, Skin, Inhalation, Ingestion.
Skin: no
Eyes: Possible irritant. goggles
Inhalation: N/A.
Ingestion: May cause irritation.
Medical conditions generally aggravated by exposure: None known.
Carcinogenic: none.
Emergency and First Aid Procedures:
Skin: Flush with water.
Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.
Inhalation: N/A.
Ingestion:Dilute.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Mop up or otherwise absorb and hold disposal.
Handling and Storing: Keep away from fire and flame. Keep from freezing.
Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally required.
Ventilation: Local Exhaust, adequate
Protective Gloves: Rubber or neoprene.
Eye Protection: Chemical goggles.

PRODUCT NAME: Hard Water - Stain Remover

PRODUCT #8704

SECTION I

HB Franchise.
P.O. Box 607
Rexburg, Id 83440
Date: 2/26/2019
Phone: (208) 359-1106

HEALTH: 1
FLAMMABILITY: 0
REACTIVITY: 0
Emergency: 1-800-359-2095

Least=0
Slight=1
Moderate=2
High=3
Extreme=4

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

Hazardous Components:
Petroleum distillate
Aqueous ammonia

Cas#:	Osha/Pel:	%:
64742-47-8	none	20
1336-21-6		1

Silica amorphous

61790-53-2

30

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: ND
Vapor Pressure: Low
Vapor Density: (NA)
Solubility in Water: 50%

Appearance and Odor: Creamy off White / Lemon Ammonia
Specific Gravity: 1.09
Melting Point: N/A
Evaporation Rate: Nil

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: none
Extinguishing Media: Foam water
Special Fire Fighting Procedures Cool water.
Explosion Hazards: N/A

SECTION V REACTIVITY DATA

Stability: Stable
Incompatibility: Strong Mineral Acids
Hazardous Decomposition Co and Co2
Hazardous Polymerization: None.
Conditions to Avoid: None

SECTION VI HEALTH HAZARD DATA

Health Hazards:
Routes of entry, Signs and symptoms of exposure: Eyes, Skin, Inhalation, Ingestion.
Skin: Yes Impermeable gloves
Eyes: Possible irritant. goggles
Inhalation: Mist may be irritating
Ingestion: May cause irritation.

Medical conditions generally aggravated by exposure: None known.
Carcinogenic: none.

Emergency and First Aid Procedures:

Skin: Flush with water.
Eyes: Immediately flush with clear water for 15 minutes. Get medical attention if irritation persists.
Inhalation: N/A.
Ingestion: Dilute.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spills: Mop up or otherwise absorb and hold disposal.
Handling and Storing: Keep away from fire and flame. Keep from freezing.
Other Precautions: Keep all chemicals out of reach of children.

SECTION VIII CONTROL MEASURES

Respiratory Protection: None normally required.
Ventilation: Local Exhaust, adequate
Protective Gloves: Rubber or neoprene.
Eye Protection: Chemical goggles.
Other Protective Clothing or Equipment: NA.